

KEY WORD INDEX

- A**
- 1-alpha-hydroxycholecalciferol, S24
- α -ketoacidic acid, 163
- Abdominal fat, 334
- Accelerated maturation, 249
- Acetic acid, 54
- Acidifiers, 347
- ACTH, S40, S46
- Acute phase response, 39, 111, 117
- Adiabatic evaporative cooling, 250
- Adrenocorticotropin, S40
- Adsorbent, 139
- Aeration, 23
- Aerobes, 226
- AFD, 103
- Aflatoxin, 139, S108
- Age, 186, S188
- Age x storage, S128
- Aging, 65
- Air flow, 19
- Air Quality, S102
- Air Sacculitis, S95
- Air Sampling, S102
- Airborne, 227
- Alfalfa, S33, S39
- ALIMET[®], 115
- Alkali, 291
- Allantoic fluid, S84
- Allele, 95
- Alloantigen, 7, 31, 261, 262
- Alloantigen systems, 260
- Alternative growth promoter, 298, 299
- Alternative Hosts, S219
- Alum, S54
- AMEn, 103
- AMEn utilization, 211
- Amino acid, 159, 160, 288, S113, S116, S117, S166, S167, S171
- Amino acid accretion, 311
- Amino acid density, 156
- Amino acid digestibility, 46, 105
- Amino acid requirement, 162, 305, S19, S21
- Ammonia, 62, S153, S164
- Amylase, 213, 323
- Animal by-product free, 213, 323
- Animal by-products, 175
- Animal rights, 235
- Animal waste, 243
- Animal welfare, 228
- Anomaly, S37
- ANR, 103
- antiangiogenic, S145
- Antibiotic, 113, 114, 117, 130, 298, 299, 370, S93
- Antibiotic alternative, 237, S230
- Antibody, 2, 4, 32, S41
- Anticoccidial, S35, S36
- Anti-DNA synthesis, 346
- Antimicrobials, 269
- Antioxidant, 353, 366
- Apoptosis, 34, 45, S132
- Apparent metabolizable energy, 290
- Appetite, 358
- Arcanobacterium pyogenes*, S222
- Arginine, S18
- Arsanilic Acid, S101
- Artificial insemination, 25, S3
- Ascites, 9, 57, 84, 353, S217
- Ascites susceptibility, 91, 92
- Ascites syndrome, 367
- Ascorbic acid, 146
- Aspergillus* meal, 282
- Astrovirus, 168
- Autoclaving, S163
- Autosome, 97
- Avian, S236
- Avian Colibacillosis, S99
- Avian eggshell porosity, 60
- Avian leukosis virus, 204, 205
- Avian osteoporosis, 228
- Avian reovirus (ARV), S229
- Avian reovirus vaccine, S129
- Avizyme[™] 1500, S191
- B**
- β -glucan, 237
- 3 β -HSD, 356
- β -mannanase, 112, 113, S25
- B, S120
- B cells, 2, 51
- B complex, 10, 31, 32
- B lymphocytes, 34
- B lactofermentum, 40
- Bacitracin methylene disalicylate, 178
- Bacteria, 130
- Bacterial counts, S149
- Bacterial diversity, 244
- Bacterial genomes, 256
- Bacteriophage, 173, 174, S28, S29, S97, S218, S219, S220
- Balance, S10
- Barley, S23, S163
- Behavior, 109, 193, 247
- Betaine, S20
- Bicarbonate retention, 47
- Bicarbonate retention factor, 215
- Bioaerosols, 227
- Bioavailability, 102, 147, 202, 289, S171
- Biochemical properties, 363
- Bioefficacy, S16, S182
- Bioethics, 234
- Biofunctionalized nanoparticle, 129
- Bio-Mos, 298, 299
- Bioplex, S200
- Biosecurity, S138, S139
- Biotechnology, 255, 274
- Black pepper, 333
- Blackhead disease, S89
- Blastodisc, S142
- bleeding, S211
- Blood, 167
- Blood characteristics, S8
- Blood immunity, 325
- Blood pH, S141
- B-Mannanase, 114
- BMP5, S50, S54
- Bobwhite, 190, 191, 261
- Body fat, 280
- Body temperature, 203
- Body Weight, 43, 208, 302, S46, S119, S153, S158
- Body weight loss, 198
- Body weight uniformity, 112, S120
- Bone, 229
- Bone ash, 44, S124, S174
- Bone breaking force, 122
- Bone densitometry, 145, S174
- Bone density, 44
- Bone mineral density, 121, 122, 195, 349, 232, 233, S43
- Bone morphogenetic protein, 94
- Bone Morphogenetic Protein Receptor, S217
- Bone parameters, 350
- Bone strength, S174
- Bovans White, S183
- Breaking strength, 44
- Breakout, S137
- Breast blisters, 140
- Breast meat, 79
- breast meat yield, S213
- Breast muscle pH, 67, 200
- Breast muscle size, 41
- Breasts, 368
- Breast filets, S82
- Breeder, 22, 63
- Breeder male, 249, S1
- Breeding program, S158
- Breeds, S9
- Broiler, 5, 11, 16, 38, 41, 42, 46, 48, 49, 53–58, 61, 66, 67, 73, 80, 82, 83, 87, 88, 91, 92, 93, 95, 98, 105, 106, 107, 110, 112, 113, 116, 135, 137, 143, 144, 146, 148, 150, 151, 153–157, 160–162, 165, 180, 200, 222, 242, 258, 274, 275–278, 294, 296–298, 303, 306, 314–316, 318, 319, 325, 335, 352, 362–364, 367, 368, 372, S6, S10, S11, S18–S21, S26, S27, S37, S43, S44, S48, S49, S51–S53, S56–S59, S68, S69, S71, S74, S81, S85, S86, S90, S93, S98, S103, S105, S109, S110, S112, S115–S118, S120, S121, S124, S130, S131, S136, S149, S153, S158, S160, S162, S166–S168, S172, S176, S180, S185, S186, S188, S191, S197, S201, S202, S207–S209, S217, S226
- Broiler breeder, 13, 24, 25, 26, 143, 212, 305, 307, 317, 365, S2, S3, S4, S5, S70, S104, S128, S198, S199
- Broiler breeder age, 15, S213
- Broiler breeder hen, 304, 339, S169
- Broiler breeder hen performance, S66
- Broiler breeder layer, 215
- Broiler breeder rooster, S106
- Broiler carcasses, 72, S13
- Broiler chick, 15, 119, 131, 145, 167, 288, 293, S174, S178
- Broiler chicken, 40, 47, 68, 239, 290, S9, S24, S173, S210, S211
- Broiler hatching eggs, 18, 19
- Broiler meat, 71
- Broiler performance, 108, S70, S151, S169
- Broiler processing, 79, S203
- Bromine, S83
- Brooding, 190, S48, S53
- brown eggs, S223
- Bruises, 222
- Brush border enzymes, 42
- BSA, S41
- Bursa of Fabricius, 27, 271, 346
- Byproduct Process, S147
- C**
- ¹⁴C-Phenylalanine dose, 47
- Ca, 315
- Cage, S81
- Cage density, S177
- Calbindin-28 kd expression, 293
- Calcium, 141, 183, 189, 198, 350, 230, S176, S194
- Calcium levels, 320
- Calcium uptake, 355
- Campylobacter, 23, 127, 128, S76, S94, S95, S106, S215
- Campylobacter*, 132, S77, S81, S83
- Campylobacter jejuni*, 76, 129, S103, S104, S212
- Campylobacter* spp., 72
- Cannulation, 339
- Canthaxanthin, 111
- Caracass yield, 367
- Carbohydrate metabolism, 15
- Carbohydrates, 283
- Carbohydrates source, 285
- Carbon dioxide, 78
- carcass bacteria, S202
- Carcass characteristics, 223, 364
- Carcass composition, 14
- Carcass composting, 89

- Carcass disposal, 89
 Carcass fat, 364
 Carcass quality, 162, S19, S59
 Carcass Rinsing, S75
 Carcass traits, 322
 Carcass yield, 16, 154, 155, 178, 275, S6, S112, S213
 CA-repeat, 265
 Carotenoid, 270
 Cashew nut meal, 334
 Cassava, S64
 Cat food, 70
 Catastrophic mortalities, 89
 Cationic amino acid transport, 39
 Cationic amino acid transporter, 309
 CD14, 35
 Cecal, S215
 Cecal coccidiosis, 31
 Cecectomized roosters, 102
 Cell signaling, 3
 Cellular immunity, 3
 c-fos, 182, 343
 challenge, S231
 Challenge virus, S224
 Chick, 102, 118, 123, 142, 147, 189, 256, 257, 283–287, 289, 347, S37, S48, S23, S123, S163, S231
 Chick quality, 137
 Chicken, 8, 28, 29, 33, 99, 100, 133, 134, 178, 193, 194, 202, 205, 206, 218, 236, 263, 264, 331–333, 348, 369, S22, S35, S36, S38, S41, S97, S101, S127, S184, S205, S223
 Chicken Anemia Virus, 176
 Chicken grading system, 223
 Chicken infectious anemia virus, S132
 Chicken ovary, S50
 Chicken samples, S165
 Chill, S205
 Chill Immersion, S75, S77
 Chiller, S76
 Chilling, S208
 Chlorate, 133
 Chlortetracycline, S120
 CHM, 101
 Cholecalciferol, 293
 Cholesterol, 326, 334, S199
 Choline, S20
 Chondrocyte, 124
 Chromium, 52
 Citric acid, 53, 142, 146, 167, 245
 Cleaners, S138, S139
 Clebuterol, S165
 Cloacal gland, S143
 Cloacal inoculation, 271
Clostridium perfringens, S103, S106, S121
 Cobalt, 321
 Coccidiosis, 357
 Coccidia, 292
 coccidial challenge, S221
 Coccidiosis, 8, 30, 118, S18, S35, S36, S98, S100, S101
 Coccidiosis Control Program, S9
 Coccidiosis Experiments, S100
 Coccidiosis Vaccine, S100
 Coccidiostat, 117, S100
 Coccidiostat Program, S9
 Cock, S146
 Cockerels, 341
 Coefficient of Variation, S119
 Cold stress, 52
 Colibacillosis Challenge Models, S99
 Color, 295, 368
 Colostomy, 46
 Comb Size, 26
 Co-mitogenic bioassay, 27
 Commercial layers, 138, S8, S64
 Commercial turkey, 246, 248
 Commercially marinated chicken breast parts, 371
 Comparative feeding value, 105
 Comparative slaughter technique, 305, 317
 Competitive exclusion, 21, 127, 128, 133, S30
 Complex vaccine, S129
 Composition, 201, 301, S207
 Compost, 238
 Composting, S13, S149
 Congenic, 32
 Conjugated linoleic acid, 217, 218, 364
 Consumer acceptance, 366
 contaminated grains, S195
 Contemporary issues, 235
 Conventional cage, 247
 Cook Yield, S201
 Cooked thighs, S179
 Cooperative, S62
 Copper, 148, 326, S200
 Copper Sulfate, S200
 Corn, 69, 274, 287, 295, 301
 Cornea, S153
 Corn-soy enzymes, S191
 Corn-soybean meal diets, 167, S170
 Corporatism, 234
 Corticosterone, 57, S143
 Cottonseed meal, 48, S4, S104
 Coturnix quail, 97
 CpG, 29
 Creatine kinase, 67
 Crest gene, 208
 CRINA™, S121
 Crop removal, 365
 cross contamination, S80, S208
 Cross-bred Ogot chicken, 363
 Crude protein, 110, 277, 278, 322, S122, S167, S194
 Crude protein retention, S167
 Crumbled, 273
 Cryopreservation, 188, S146
 CSF-contacting neuron, 189
 Cumulative egg weight, 330
 Cumulative nutrition, S70
 cutaneous electrodes, S210
 Cystine, 209, 279
 Cytokines, 2, 3, 8, 27
 Cytotoxicity, S212
- ## D
- Dandarawi hens, 326
 Database, S37
 DDGS, S63, S112, S190
 Defatted rice bran, S185
 Dehulled soybean meal, 105
 DeKalb White, S183
 Delayed type hypersensitivity, 37, 272
 Densitometry, 232
 Deoxynivalenol, 236, S184
 Designer soybeans, S26
 Detection, S161
 Detection methods, 72
 Development, 249, 345
 df-mannanase, S119
 DGGE, 244, S157, S180
 Diagnosis, S133
 1,3-Dibromo-5,5-Dimethylhydantoin, S83
 Diet, 329, S209
 Diet density, 154, 155
 Dietary, 331
 dietary α -Tocopherol supplementation, S179
 Dietary calcium, 122
 Dietary energy, 151
 Dietary protein, 192
 Dietary zinc, 15
 Dietary zinc source, S66, S169
 Digestibility, 118, 157, 159, 295, S171
 Digestible amino acids, 276
 Digestible lysine S21
 Digitised fluoroscopy, 231
 Dioxin, 34
 Disease, S61
 Disinfectant, S138, S139
 Dissolved air floatation sludge, 103
 Dissolved Air Flotation, S147
 Distiller dried grains with solubles, 301
 Distillers, 147
 Distiller's dried grains plus solubles, 102, 214, 289, 295, 308, S63, S112, S190
 Diversity, S180
 DL-Methionine, 115, S15, S16, S182
 DMSO, S146
 DNA, S228
 DNA analysis, 12
 DOA, 200, S51
 Dopamine receptor mRNA, 184
 Dose, S187, S188
 Down specification, S191
 Dried grains, 147
 Drinking water vaccination, S155
 DTH response, 51
- Ducks, 265
 Duodenum mitochondria, S44
- ## E
- E. acervulina*, S98
E. maxima, 120, S98, S231
 Early post-hatch, 324
 Econometric, S14
 Economic analysis, S177
 Economic feasibility, 243
 Economical diet, S181
 edible plant vaccines, S134
 Edible transgenic vaccines, S229
 Education, 199, 234
 EEG, S210, S211
 Efficacy, S124
 Egg, 74, 216, 225, 226, 326, 370, S7, S60, S61, S148, S206
 Egg calories, 304
 Egg characteristics, 307
 Egg lay, S144
 Egg lipids, S199
 Egg mass, S15, S181
 Egg processing, 220, 221
 Egg production, 13, 194, 195, 212, 327, 330, 339, 342, S5, S15, S126
 Egg production and egg quality, 207
 Egg production hatchability, 307
 Egg quality, 332, 333, S152, S178
 Egg shell, 320, S194
 Egg size, S192
 Egg temperatures, 220
 Egg weight, 19
 Egg yolk, 218, S192
 Egg yolk antibody, 136
 Eggshell Calcium, S140
 Eggshell quality, S66
 Egg-Shell Temperature, 20
 Eggshells, 226, S73
Eimeria, 29, 242, S73
Eimeria spp., S232
Eimeria tenella, 31, S101, S231
 Eimeria vaccine, S221
 Electrical stimulation, 182, S201
 electrical stunning, S210, S211
 Electrolyte balance, S74
 Electron leak, S44
 ELISA, 98
 ELISA test, S165
 Embryo, 97, S84
 Embryo development, 17, 18
 Embryo Lethality Assay, S99
 Embryo morphology, 257
 Embryo temperature, 18
 Embryonic, S37
 Embryonic development, 351, 354
 Embryonic edema, 96
 Embryonic mortality, 19
 Encephalic photoreceptor, 181

- Endostatin, S145
 Endotoxin, 368
 Energy, 50, 81, 109, 152, 203, 285, S64
 Energy balance, 358
 Enriched cages, 121
 Enrofloxacin, 21
 Enteric bacteria, S29
 Enteric microflora, 127
 Enterobacteriaceae, 226
 Enterotoxigenic activity, S216
 Environment, 49, S59
 Environmental, 132, S161
 Enzyme, 150, 165, 281, 319, 334
 EPR, 189
Escherichia coli, 40, 168, 174, 337, S83, S96, S97, S105, S230, S235
Echerichia coli O157:H7, 76, 136
 Essential oils, S121
 Estrogen, 230, S45
 Estrogen receptor, S45
 Eutrophication, 144, S54
 Evisceration, 365
 Excreta, 88, 144, S11
 Exotoxins, S216
 Experimental chlorate product, 135, S105
 Exponential Regression, S115
 Extracellular matrix, 367
 Extruded feed, S71
 Exudates, S88
- F**
- Facilities, 251
 Fasting, 126, 193, 198
 Fat, 150
 Fat and Protein, S147, S206
 Fat Characteristics, S207
 Fat content, S87
 Fat Encapsulation, S206
 Fat metabolizability, 161
 Fatty acid, 69
 Fatty acid content, 218
 Fatty acid saturation, 313
 Feather measurement, 279
 Feather quality, 192
 Feather sexing, 14
 feathered broiler, S79, S80
 Fecal dropping, S215
 Feces, S81
 Feed Additives, S110
 Feed allocation, 13
 Feed conversion, 119, 203, S35, S119
 Feed conversion ratio, 95
 Feed efficiency, 58, 81, 85, S44, S49
 Feed energy, 80
 Feed form, 106, 303
 Feed Formulation, S175
 Feed formulation criteria, 276
 Feed ingredients, S63, S112, S190
 Feed intake, 165, 357
- Feed management, S160
 Feed manufacturing, 297
 Feed nutrients, S152
 Feed restriction, S150
 Feed texture, 108
 Feed trough device, S152
 Feed withdrawal, 349, 352, S202
 Feed:gain, 319
 Feed-deprivation, 45
 Feeding, S109
 Feeding program, 152, 156, 296
 Feeding trial, 119
 Feedstuff, S113
 Fertility, 24–26, 340, S1, S2, S3, S142
 Fiber, 158
 Field strains, S133
 Field trial, S58
 Fillet quality, 79
 First week, 284–287
 Fishmeal, 118
 Flavor, S209
 Floor Pen, S90
 Follicle, 177
 Food safety, 136, 245, 338, S12, S92
 Food/meat soaker pads, S88
 Foodborne pathogens, 127
 Formaldehyde, 252
 F-strain *Mycoplasma gallisepticum*, 359
 Fumonisin B₁, S148
 Functional genomics, 1
 Furnished cage, 247
 Fusaric acid, 236, S184
Fusarium, S184, S195
Fusarium mycotoxins, 51, 306, S186
- G**
- Gas conductance, 60
 Gastrointestinal, 283, 284
 Gastrointestinal tract, S92, S196
 Gender, S84
 Gene expression, 259, 328, 345
 Gene expression profiling, 8
 Gene mapping, 6
 Genetic diversity, 263
 Genetic influences, 2
 Genetic lines, 201
 Genetic markers, 12
 Genetic polymorphisms, 263
 Genetic resource, 204
 Genetic selection, 91, 362
 Genetic strain, 13
 Genetics, 202
 Genistein, 64
 Genome, 1, 265
 Genotypes, 7, 205, 262
 Genotyping, S130, S133
 Germinal disc, 187, S142
 Ghrelin, 259
 Glucose transporter, 309
 Glutamine, 120
 Glutathione, 58
- Glycerol, 188
 Glycogen, 61, S48
 Glycosaminoglycan, S140
 Gompertz growth model, 258
 Gossypol, 48, S4
 GOT, 82
 GPHA, 264
 GPT, 82
 Green tea, 332
 Grinding, S111
 GroBiotic-B70TM, 118
 Ground turkey, 78
 Grower diet, 104
 Growth, 50, 164, 292, 294, 331, 345, S1, S22, S124
 Growth parameters, 258
 Growth Performance, S110
 Growth Promoters, 117
 Growth promoting antibiotics, 112
 Guar meal, S25, S189
 Guinea fowl, 263, 322
 Guinea keet broilers, S122
 Gut development, 92
- H**
- HACCP, S203
 Haemostatic, S234
 Haplotype, 7, 262
 Harderian gland, 27
 Hatchability, 19, 20, 212, 218, S108
 Hatcher temperature, 16
 Hatchery, S137
 Hatching egg storage, 17
 Haugh units, 330
 HDL, S47
 Heat source, S53
 Heat stress, 82, 355, S141, S166, S185
 Heat-treated soy flake, 312
 Hemagglutination, S225
 Hematology, S226
 Hematocrit, 84, 138
 Hemicell, 112, S120
 Hemoglobin, 164
 Hemorrhagic enteritis virus, 171
 Hen, 231, 246–248, S177
 Hen age, S6
 Hen production, S152
 Herbs, 331
 High Altitude, S217
 High placement density, 241
hila, 169, 170, S31
 Histidase, S67
 Histomonas meleagridis, S89
 Histopathology, 217
 HMB, 115
 Homocysteine, S20
 Horizontal transmission, 131
 Hormone, 339, 358
 Host range, 173, S29
 Host Specificity, S219, S28
 Hot pepper, 332, 333
 House environment, S53
 HPLC, 314, 315
- Humoral immunity, 2
 2-Hydroxy-4 methylthio butanoic acid, 116, S118
 25-hydroxycholecalciferol, S24, S69
 Hydroxyproline, S140
 Hypobaric, 91, S217
 Hypoxia, 92
- I**
- IBD, 268
 IBDV, 172, S135, S136
 Ideal amino acid profile, 311
 Ideal protein, S117
 IGF-I, 68
 Ileum, 159
 Image analysis, 60
 Immersion Chilling, S78
 Immortalised Cells, 336
 Immune, 64, 341
 Immune challenge, 50
 Immune effect, 7, 262
 Immune parameters, 236
 Immune response, 1, 12, 32, 260, S66
 Immunity, 11, 38, S27, S74
 immunogenicity, S227
 Immunoglobulins, 37, 272
 Immunomodulation, 29
 Immunomodulator, 237
 Immunosuppressant, S236
 immunovariability, S27
 In ovo, 30, S129, S136
 In ovo culture, 354
 In ovo feeding, 41, 42, 43, 302
 In package pasteurization, S87
 In situ hybridization, 182, 184, 185
 In vivo, S93
 Incubation, 20, S137
 Incubation length, S6
 Incubation temperature, 18, 59
 Incubation time, 15
 Indicator amino acid oxidation, 47, 215
 Individual identification, 265
 Induced molt, 198, 210, 338, S150
 Infection, 38
 Infectious
 Bronchitis-Newcastle Disease, S155
 Infectious bursal disease, S233
 Infectious bursal disease virus, S133, S134
 Influenza, hematology, S234
 Inhibitory conveyor belts, 76
 Innate immunity, 6
 Innovative technologies, 243
 Inoculation, 138, S8
 Instruction, 235, S175
 Insulin-like growth factor, 345
 Interleukin-16, 28
 Interior egg quality, 75, S42
 Interleukin-17, 28
 Intestinal, S180
 Intestinal epithelium, 4

- Intestinal microflora, 137
 Intestinal morphology, 352
 Intestinal pH, 347
 Intestinal strength, 178
 intestinal viscosity, S25
 Intestine, 141, 269
 Intracloaca, S103
 Invasion, 177
 invasiveness, S235
 Iodine, 164
 Ionophores, S232
 Irradiation, 77, 361, 366
 Isoleucine, S116
- J**
- Japanese quail, 90, S144
 Japanese quail puberty, S143
 JM16, 36
 Job placement, 254
- K**
- KEM SAN, S151, 245
 Keratan Sulfate, S140
 Keratinase, 175, S110
 Korean Ogol chicken, 363
 Kramer Shear Force, 201
- L**
- L* system, 31
 La Sota, S227
 Lactic acid bacteria, 128
 Lateral septal organ, 181
 Layer, 51, 359, S16, S34, S40, S46, S47, S61, S195
 Layer performance, 240
 Layers at second cycle, 320
 Laying hen, 193–197, 210, 211, 216, 217, 229, 233, 300, 321, 355, S15, S17, S33, S63, S141, S154, S178, S189
 Leaching, S54, S62
 Leg Quality, S114
 Leghorns, S65
 Lelection, 12
 Lesions, S98, S224
 Lethal mutation, 97
 Leydig cell function, 356
 Light cycle, S150
 Light intensity, 80
 Lighting, 81, 340
 Lighting program, 80, 222, S9
 Limestone, 320
 Lining, 251
 Linkage Group II, 100
 Linkage map, 100
 Lipid, 328, S34
 Lipid oxidation, 335
 Lipid peroxidation, 180
 Lipogenesis, 313, 329
 Lipoproteins, 126, S47
 Lipotoxicity, 313
 Liquid lysine, S173
- Litter, 87, 131, 144, 238, 248, 253, S10, S149, S156
 Litter Consumption, S151
 Livability, S172
 Live haul, S51
 Live performance, S6, S19
 Live shrink, S202
 Liver, S34, S48, S193
 Liver glycogen, 41, 43, 302
 Local immunity, 8
 Location, 66
 Lodging density, 239
 Low and high voltage, S211
 Low density, S63
 Low protein, 153
 Lutein, 111, 270, S192
 Lymphocyte, 40
 Lymphoid organs, 40
 Lysine, 39, 102, 106, 110, 163, 295, 303, 318, S14, S166
 Lysine accretion, 317
 lysine HCl, S173
 Lysine requirement, 278, 317
- M**
- Macrophage, 35, 36, 270
 Maillard Reaction Products, 169
 Maintenance, 304, 305, 317
 Maize, 104
 Major histocompatibility complex, 5, 260, 261
 Male, 63
 Male quail, 356
 Malic enzyme, S67
 Management, S78
 Manganese, S114
 Mannan, S108
 Mannan oligosaccharide, 298, 299
 Manure, S164
 Manure Management Practices, S55
 MAP, 78
 Mapping, 264
 Marble spleen disease, 171
 Marek's Disease, 36, 99, S130, S131, S136
 Marek's Disease Virus, S228
 Marigold extract, S192
 Mash, 273
 Mass balance, 87
 Mast cells, 4, S27
 Maternal influences, S70
 Mathematical Modeling, S55
 Maturation, S1
 Max load, 365
 MBM, 101
 MDA, 52
 ME Level, 114
 ME:AA, S191
 Meal feeding, S160
 Meat, 69, 369
 Meat and bone meal, 291
 Meat bologna, S87
 Meat depth, 78
- Meat quality, 67, 71, 201, 362, 367
 meat thickness, S87
 Meat yield, 151
 Medullary Bone, S140
 Metabolic adaptation, 47
 Metabolic assay, 335
 Metabolism, 329
 Metabolism trial, 285–287
 Metabolizable energy, 110, 158, 161, 214, 286, 304, 322, S122, S170, S198, S199
 Methionine, 88, 116, 164, S11, S14, S118
 Methionine hydroxy analogue, S16, S182
 Methionine Sources, S115
 Method Development, S55
 Methodology, 226, S12
 MHA-FA, S15
 MHC, S131
 Microarray, 34
 Microbial phytase, S22, S124, S187, S188
 Microbiological Analysis, S55
 Microbiological sampling, 22
 Microbiology, 77, S86, S102
 Microinjection, 354
 Microorganisms, 227
 Microsatellite, 265, S130
 Microscopy, 369
 Mineral composition, S190
 Mineral retention, 281
 Mitochondria, S2, S49
 Model, 139
 Moisture Absorption, S205
 Mold inhibition, 115
 Molt, 193, 194, 209, 279, S39, S157, S189
 Molting, 75, 349, S33, S154
Monascus Purpureus, S178
 Monensin, 372
 Morphometrics, 294, S197
 Mortality, 16, S5, S94
 MOS, 86
 mRNA, 259, S50
 Mucosal immunity, 4
 Mucosal Immunology, S92
 Multiphase feeding, S68
 Muscle, 56, 59, 90, 98, 318
 Muscle fibre growth, 55
 Muscle glycogen, 43, 302
 Mutation, 96
Mycoplasma gallisepticum, 126, 138, 267, S8, S34, S47, S225
Mycoplasma vaccines, 267
 Mycotoxins, 236, S236
 Myoblast, 351
 Myofiber, 68
 Myofiber number, S38
 Myopathy, 55, 180, S45
 Myosin, 98
- N**
- Natu-stat, 242
 ND, 268
 Near infrared, S171
 Nebulisation, S227
 Neck separation, 365
 Necrotic enteritis, 178, S121
 Net protein retention (NPR), 312
 Neurochemistry, S184
 Neutricentials, S236
 Newcastle disease, S74
 Newly hatched turkeys, S227
 Niacin, 163
 Nipple, S56
 Nipple flow rate, S56
 Nitrate, 133
 Nitric oxide, 9
 Nitrite, 35
 Nitrogen, 49, 87, 303, S10, S67, S164
 Nitrogen excretion, S68
 Nitrogen retention, 311
 NK lectin-like receptors, 6
 Non-classical MHC class I loci, 6
 Non-dehulled soybean meal, 105
 Nonlinear mixed model, 258
 Non-molted hens, S181
 Non-phytin Phosphorus, 300
 Northern analysis, 324
 NPIP, S161
 Nutrient, 253, S123, S156, S159
 Nutrient Density, S119
 Nutrient digestibility, 150
 Nutrient metabolism, S22
 Nutrient utilization, 145
 Nutrition, 11, 331–333
 Nutritional immunomodulation, 111, 117
 Nutritive value, 275
- O**
- Oasis[®], 120
 Ocidized dietary fat, 335
 Odor, 88, S11
 25OHD₃, 300
 25-OH cholecalciferol, 195, S126
 Oleic acid, 69
 Olfaction, 62
 Oligodeoxynucleotides, 29
 Omega-3, S60
 Omega-3-6 fatty acids, S199
 Oncogene, 10
 Onset of puberty, 125
 Oocysts, S36
 Oral Immunization, S41
 Organ, 82
 Organ Weight, S46
 Organic, S193
 Organic acid, 115, 128
 Organic Selenium, 26, 38
 Osteocyte apoptosis, 123
 Osteoporosis, 125, 229, 231–233, 230

- Osteotomy, 123
 Ostrich, S222
 Ostrich chicks, S222
 Ovary, 177
 Oviduct, 64
 Ovotransferrin, 206
 Oxidation, 70
 Oxidative stress, 58
 Oxygen concentration
 Threshold, 84
- P**
- P, 315
 Packaging, 366
 Pain, 62
 Palatability, 85
 Particle size, 107, 108, 297,
 S72, S111
 Particle size segregation, S152
 Pasture, S60
 Pathogenicity, 172, S212
 Pathology, S132
 Paws, S85, S86
 PCR, 170, 259
 Peanut Meal, S65
 Pearl millet, S111
 Pectoralis, 68, S38
 Pellet, 107
 Pellet quality, 85, 108, S59,
 S111
 Pelleted feed, S71
 Pelleting, 109, 196, 197
 PEMS, S94
 Pendulous crop, 214
 Penetrance, 96
Peniophora lycii phytase, 211
 Pentosanase, S185
 Pentosidine, 65
 Peptide, 288, 269, 346
 Performance, 135, 246, 248,
 283, 284, 296, 319, 325, S68,
 S105, S168, S172, S178, S213
 Performance and ileal
 microflora, 53, 54
 Performance verification, 243
 Peroxidation, 335
 Pet bird, S236
 PGC, 257, 348
 PGLA, 131
 pH, 201, 371
 Phage, S28, S218
 Phase-feeding, S167
 Phorbol-12, 13-dibutyrate, 27
 Phospholipase A₂, 119
 Phosphorous, 49, 141–144,
 147, 148, 202, 289, 296, 307,
 S5, S54, S159
 Phosphorus excretion, S23
 Phosphorus Retention, 306,
 S186
 Phosphorus utilization, S72
 Photoperiod, 181
 Photorefractoriness, 343
 Photostimulation, 56, 186,
 240, 343
 3-phytase, S187
 6-phytase, S187, S188
- Phytase, 141, 143, 145, 146,
 149, 166, 167, 252, 296, 300,
 306, 307, S5, S23, S24, S123,
 S125, S126, S127, S170,
 S185, S186
 Phytate, 141, 142, 202, S127
 Phytate P retention, 314
 Phytic acid, S23, S163
 Phytoestrogen, 63, 64
 Phytosterols, 216
 Picking, S79, S80
 Pigmentation, S73, S221
 Pink defect, 368
 Pituitary gland, 344
 PKC, 104
 PLA2, 180
 Plaque assay, S218
 Pollutant gases, 62
 Polycystic ovarian follicle, 186
 Polycystic ovary, 342
 Polymerase Chain Reaction,
 S228
 Polyunsaturated fatty acid, 37,
 217, 272, 364, S179
 Porous materials, 250
 Post-Hatch Growth, 16, 20
 Post-hatch supplement, 273
 Post-molt performance, S150
 Postmortem pH decline, 140
 Poult, 43, 168, 310, 337, S72,
 S94
 Poult enteritis and mortality
 syndrome, 168
 Poultry, 44, 130, 173, 174, 253,
 280, 291, 129, S29, S30, S88,
 S96, S156, S175, S215, S220
 Poultry by-product meal, S113
 Poultry collagen, 70, 71
 Poultry Diseases, S100
 Poultry environment, 241
 Poultry fat, 70, 290, S69
 Poultry litter, S159
 Poultry managers, 254
 Poultry performance, 241
 Poultry Processing, S208
 Poultry production course, 199
 Poultry semen, 188
 Prebiotic, 282, 330
 Prediction equations, S64
 PREEMPTTM, S31
 Pressure marination, S82
 Prion, 175
 Prion degradation, 175
 Prion diseases, 175
 Probiotic, 86, 134, 137, 330,
 S31, S180
 Process, S206
 Processing, S204
 Processing Errors, S95
 Processing temperature, 149
 Processing yield, S58
 Production, 219, S109
 Production efficiency, 137
 Production performance, S128
 Productive parameters, S173
 Progesterone, 342
 Prolactin, 183
 Prolina, S26
 Protease, 213, 323
- Protein, 152, 191, 288, 308,
 310, 327, S14, S17, S183
 Protein dispersibility index
 (PDI), 312
 Protein level, 164
 Protein quality indicator, 312
 Protein Source, 284, 286
 Protein subunits, S49
 Protein turnover, 277
 Proteomics, 1
 Prothrombin time, S233
 Proventriculitis, 172, S135
 Proventriculus, 259
 Pseudomonas, S208
 Puberty, S144
 Pubic spread, S144
 PUFA, 280
 Pulmonary hypertension, 9
 Putrescine, 292, 294, S196,
 S197
 PVP, S146
 PWT, 245
 Pyolisin toxin, S222
- Q**
- QTL, 99, 206, S130
 QTL mapping, 207
 Quail, 52, 190, 191, S148
 Quality, 361, S148
 Quantitative Computed
 Tomography, 44, 195, 233
 Quantitative trait, 96
 Quinoa, 310
 Quinolinic acid, 163
- R**
- RAPD, S96
 Raw thighs, S179
 RCR, S44
 Rearing, 327
 Recessive, 97
 Reciprocal crosses, 91
 Recombinant, S91
 Recycling, S203
 Red blood cells, 57
 Regulation, 234
 Reovirus, 168, S224, S226
 Replacement feed, S202
 Reproduction, 90
 Reproductive efficiency, 14
 Reproductive function, 313
 Reproductive tract, S34
 Requirements, S176
 Residue, 21, 370, S137
 Resistance, 130, S93
 Respiratory chain complex
 activity, 58
 respiratory chain complexes,
 S49
 Restricted ovulator, 350
 Restriction, 61
 Retention, 316
 Rfp-Y, 260
 Rice hulls, 87
 Ring necked pheasants, 192
- Risk, 224
 Risk Analysis, S12
 Risk factors, S162
 Risk model, 219
 RK1, 36
 Roundup Ready wheat grain,
 275
 Rous sarcoma virus, 10
 Roxarsone, S101
 Ruffed grouse, 65
 Runoff and Water Quality, S55
- S**
- Saccharomyces cerevisiae*,
 S168
 Safety, S224
 Sal CURB, 252
 Salinomycin Diclazuril
 Coccivac-B, S214
Salmonella, 132, 134, 169, 170,
 173, 177, 338, S7, S12, S28,
 S31, S75, S76, S78, S79, S80,
 S83, S90, S91, S93,
 S104–S106, S161, S162,
 S218S219, S223
Salmonella Enteritidis, 74,
 131, 224, 225, 256, 352, S29,
 S30, S33, S92, S154, S157,
 S220
Salmonella gallinarum, S216
Salmonella Infantis, 372
Salmonella issatschenko, S216
Salmonella spp., S103, S226
Salmonella Typhimurium, 77,
 78, 135, 271
Salmonellae, 73
 Sampling, S159
 Sand, 238, S149
 Sandwich ELISA, 136
 Sanitation, S102, S138, S139
 Satellite cell, 56
 SBM, 101, 104, S72
 Scalding, S79
 Scaleless, S79, S80
 Scratches, 222
 Secondary protein nutrients,
 103
 Selection, 90
 Selective DNA pooling, 207
 Selenium, 325, S193
 Selenium yeast, S172
 Selenomethionine yeast, 212
 Semen, 23, 25, 340, 341, S3
 Sensitivity profiles, S36
 Sensory, 88
 Serial bleeding, 339
 Serology, 176, S91
 Serum, S39
 Serum calcium, 138, S8
 Sexing, S84
 Sexual maturity, 13, 340
 Shear, 66, S82, S201
 Shears, S209
 Shell egg, 224, S204, 219–221,
 227
 Sigma (σ) 3 protein, S229

- Single nucleotide polymorphism, 94
 Single-strand conformational polymorphism analysis, S133
 Single-stranded conformational polymorphism (SSCP), 261
 Skeletal integrity, 94, 125, 240
 Skeletal muscle, 45, 351
 Skin, S207
 Small intestine, 294
 SNP, 206, 264
 Sodium, 209, S166, S190
 Sodium bicarbonate, S74
 Sodium chlorate, 372
 Sodium salicylate, S230
 Solid Fat, S206
 Soluble P, 166
 Somatic nuclear transfer, 348
 Somatostatin, 33
 Sorghum, 297, S118
 Sort, S84
 Soybean acidulated soapstock, 290
 Soybean meal, 158, 287, 312, S26, S65, S104
 Soybean oil, 290, S198
 SPC, S85
 Specific-Pathogen-Free chickens, 176
 Spent laying hens, S150
 sperm mobility, S2
 Sperm penetration, 187
 Sperm Quality Index, 25, S3
 spermatozoon, S146
 Spreadsheet, S175
 SRBC, 32
 SSTR, 33
 Starch, 369
 Starter diet, 104
 Starvation, 324
 stocking densities, S59
 Storage, 221
 Storage time, 371
 strain, 246, S14, S17, S58, S192
 Stress, S40, S46, S109, S143
 Structural mapping, 206
 Stunting, S94, S131
 Sulfur amino acids, S20
 Superabsorbent, S88
 surface heating rate, S87
 susceptibility, S223
 Swine, S175
 swine lagoon, S218
 SynermaxTM, 86
- T**
- T cells, 51
 T helper cells, 3
- Tamoxifen, 304
 T-cell lines, 35
 Teaching, 199, S62
 telemetry, S210
 Temperature, 219, 224, S53
 Tenderness, 66, 371
 TERT, 336
 Test methods, S88
 Testes, 22, 24, S106
 Testes weight, S143
 Tetracycline, 130
 Texture, 369, S209
 Thermal comfort, 250, 251
 Thermal stress, 83
 Thermolerant, S125
 thermophiles, S13
 Thermotolerance, 149
 Thiocarbamates, 124
 Thrombocytopenia, S234
 Threonine, 160, 308, S26
 Thrombocytopenia, S233
 Thymus, 33
 Thyroid, 328, 341
 Tibia ash, 145
 Tibial dyschondroplasia, 93, 124, 293, S145
 Tissue culture, 255
 TLR4, 35
 T-maze behavior, S158
 Toms, 246, 248
 Total Coliform, S151
 Toxicity, S148, S189
 Toxin, S212
 Trabecular bone, 233
 Transcription, 34
 Transfection, 336
 Transgenic arabidopsis, S134
 Transgenic chicken, 204
 Transmission, S89
 Transmission electron microscope, S2
 Transport, S81
 Transportation, S52
 Transposon, 256
 Triiodothyronine, 57
 Tryptophan, 67, 163, S19
 TSP, 73
 TUNEL, 45, S132
 Tunnel ventilation system, 239
 Turkey, 14, 69, 86, 114, 139, 140, 159, 166, 171, 186, 281, 292, 299, 308, 340, 342, 343, 345, 351, S75, S76, S78, S187, S193, S196, S230
 Turkey breast meat, 366
 Turkey breast roll, 361
 Turkey hypothalamus, 182, 185
 Turkey pituitary, 184
 Turkey poults, 101, 244, 282, 302
- Turkey Processing, S77
 Turkey Production, S114
 TVB gene, 205
 Tyrosine hydroxylase, 185
- U**
- UCP, 95
 Ultrasonometry, S194
 Ultrasound, 24, 231
 Undergraduate, S62
 Undergraduate education, 254, 255
 Uniformity, 113, 114
 University, S62
 Urethral tubing, 46
 Uric Acid, 353, S164
 Uric acid excretion, 311
- V**
- Vaccination, S135, S136, S232
 Vaccine, 30, S90, S224, S231
 Vaccine stabilizer, S155
 Vacuum tumbling, S82
 Valine, 162
 Vanadium, S73
 Variability, S159
 Vascular endothelial growth factor, 93
 Vasoactive intestinal peptide Receptor mRNA, 184
 Vasoactive intestinal polypeptide, 343
 Vasoconstriction, 9
 Vasotocin, 344
 Vasotocin receptor, 344
 Vegetarian diets, 157
 Ventilation, 83
 Ventilation systems, 241
 Versazyme, S110
 Villus height, 92
 VIP, 183, 189
 Viral arthritis, S229
 Virulence, 169, 170, 337, S31, S225
 Virulence genes, 256
 Virus-antibody vaccine, 268
 Vitamin B₁₂, 321
 Vitamin C, S73
 Vitamin D₃, 146, S69
 Vitamin E, 52, 180, S230
 Vitamins, S60
 Vitamins A and E, 325
 Vitelline membrane, 74, 75, 224, S7, S42
 Vitellogenin, 359
 VLDL, 313, S47
 Vocalizations, S109
- VP2 gene, S134
v-src, 10
- W**
- Waste Sludge, S147
 Waste Treatment, S147
 Water, S203, S204
 Water consumption, S56
 water flow rate, S57
 Water sanitation, 245, S151
 Water supplementation, 135
 water supply, S57
 WB shear value, 371
 Weight gain, S35
 Weight loss, S52
 Weight standard, 223
 Welfare, 62
 Well-being, 234
 Wet feeding, 165
 Wheat, 165, 213, 281, 323
 Wheat bran, 166
 Wheat midds, 10
 white eggs, S223
 White Leghorn, 349, 121, S43
 WHM, 101
 Whole carcass enrichment, 73
 Whole Chicken, S179
 Whole grain, 297
 Whole wheat, 196, 197
- X**
- Xanthophylls, 111
 Xylanase, 213, 323
- Y**
- Yeast, S108
 Yeast expression systems, S229
 Yield, 90, 319, S82
 Yolk, S60
 Yolk antibodies, 119
 Yolk membrane, 74
 Yolk rupture strength, 75, S42
 Yolk sac, 21
 Yolk sac infection, S235
- Z**
- Zeaxanthin, 270
 Zinc, 198, S114, S157, S163, S164
 Zinc Acetate, S154
 Zinc Propionate, S154
 Zone pelucida, S142