

SUBJECT INDEX

Abstract numbers preceded by M are Monday Posters, numbers preceded by T are Tuesday posters, and numbers preceded by S are from the 2005 International Poultry Scientific Forum held in Atlanta, GA, January 24–25, 2005.

- A**
- α -galactosidase, 212
 - Acclimation, 193
 - Achillea millefolium, S17
 - Acid, S37
 - Acidification, S29
 - Acidified sodium chlorite, 11, S34
 - Activin receptors, 54
 - Adaptation, S37
 - Adhesion, S185
 - Adiponectin, 59
 - Adipose Tissue, 59
 - Adjuvant, S45, S86
 - Adrenocorticotrophic hormone, S215
 - Adsorption, S187
 - Aerial gas, S213
 - Aerobic bacteria, S76
 - Aflatoxin, S171
 - Age, 16
 - Aino acid digestibility, 151
 - Air velocity, S208
 - AIV, S87
 - Alfalfa, M46, M7, S73, S209
 - Alfalfa based molt diets, S173
 - Algea, S187
 - Alimet, S100, S104
 - Allele, 85
 - Allometry, S184
 - All-veg diet, 157
 - Alpha toxin, S14
 - Alternate feeding times, S118
 - Altitude, S164
 - Aluminosilicate, S121
 - Aluminum sulfate, T58
 - ALV, S91
 - AME, S64
 - Amino acid, 89, 101, 207, M25, M33, S15, S68, S96, S101, S106, S191, S192
 - Amino acid density, 94, S102, S193
 - Amino acid digestibility, S134, S183
 - Amino acid transporters, S19
 - Ammonia, 101, S28, S212
 - Ammonia emission, 74
 - Ammonia volatilization, S204
 - AMPK, T44
 - Amprolium, S155
 - Analysis, S141
 - Animal behavior, S40
 - Animal model, 5
 - Animal welfare, S69, S70, S114
 - Anomalies, S46
 - Antemortem wing flapping, T55
 - Antibiotic, M18, S26, S54, S97, S98, S180, S186
 - Antibiotic residues, 72
 - Antibiotic resistance, 189, 190
 - Antibiotic susceptibility test, M45
 - Antibiotics and ionophores, S47, S150
 - Antibody, S153, S214, T37
 - Anticoccidian, M18
 - Anti-Gal, 47
 - Antimicrobial resistance, 77
 - Antioxidant, S153
 - Antioxidative substance, T23
 - Apparent metabolizable energy, M17
 - Arginine, 223, M42
 - Artificial insemination, S111
 - Ascites, 85, 163, S162, S164
 - Ascites selection, 81
 - Ascites syndrome, 82
 - Ascitic fluid, 163
 - Ascorbic acid, 67
 - Automated ribotyping, M47, M48
 - Availability, 127
 - Avian epidemic, 114
 - Avian Infectious Anemia, S149
 - Avian influenza, S136, S151
 - Avian reovirus, S90
 - Avian reproduction, 55
 - Avizyme 1500, 211
 - Avizyme 1502[®], 208, M34
 - Avizyme, M33
 - Azolla-Anabaena, M40
- B**
- β HSD, T36
 - 1 β bHSDs, 106
 - β -Mannanase, S25, S129, S130, S131
 - B complex, 37
 - Bacillus subtilis, 228, M31, S175
 - Bacteria, 115, 159, 163
 - Bacterial load, 120
 - Bactericidal, 10
 - Behavior, 125, 130, S209, T5, T13
 - Betaine, S20, S21, T4
 - Bile, T6
 - Biodiversity, 1
 - Biofilm, S9
 - Bioinformatics, S142
 - (Biomim[®]MTV), 218
 - Bio-Mos, 200, 210, M15, M29
 - Bioreformation, S121, S187
 - Bismuth citrate, 78
 - Blackhead disease, S83
 - Blood, 166
 - Blood sampling, 104
 - B-mannanase, 205
 - BMP15, 173
 - Body composition, S66
 - Body weight, 28, S43, S176
 - Bone density, M7
 - Bone integrity, T41
 - Bone mineral density, 202, 219
 - Bone strength, 19, 199
 - Boundaries, 1
 - Bovans, S182
 - Breast development, 100
 - Breast fillet, 16
 - Breast meat, 98, S133, S158, S159
 - Breast meat color, T55
 - Breast meat quality, T55
 - Breast meat yield, 83, M22, S106, S193
 - Breast muscle, 86, S78, S176, S188, S189
 - Breast yield, 81
 - Breeder age, M6
 - Breeder birds, S221
 - Breeder Leghorn Hens, S137
 - Breeders, 26
 - Breeds, S102
 - Broiler, 7, 8, 15, 60, 64, 70, 89, 94, 97, 100, 101, 112, 116, 117, 118, 124, 129, 130, 132, 147, 153, 154, 158, 191, 209, 212, 213, 215, 222, 226, M2, M3, M9, M10, M12, M13, M18, M19, M20, M21, M24, M25, M26, M27, M32, M38, M49, M54, M60, S2, S14, S15, S20, S21, S22, S23, S26, S27, S28, S30, S33, S39, S40, S43, S46, S48, S49, S60, S61, S64, S68, S69, S70, S71, S72, S74, S75, S81, S82, S92, S93, S96, S97, S98, S99, S100, S101, S102, S103, S104, S105, S106, S109, S114, S115, S116, S117, S119, S123, S124, S126, S130, S131, S132, S143, S147, S152, S155, S156, S158, S159, S163, S179, S183, S186, S188, S189, S190, S191, S192, S193, S195, S201, S205, S207, S208, S212, S213, S215, T5, T10, T24, T26, T28, T42
 - Broiler barn, 120
 - Broiler breeder, 22, 23, 24, 27, 28, 31, 34, 35, 104, 221, M37, M52, S13, S16, S31, S80, S162, T11, T30
 - Broiler breeder hen, 25, 54
 - Broiler breeder production, 30
 - Broiler carcass, S8, T50
 - Broiler chick, 40, 68, 102, M17, S166
 - Broiler chicken, M11, M61, S47, S150, S204
 - Broiler hatching eggs, S112
 - Broiler hens, 172
 - Broiler house, 73, M48
 - Broiler manure, M55
 - Broiler performance, 210, M22, M29, S133
 - Broiler test panel, M4
 - Brooding, 32, S30
 - Brush border enzymes, 95, S19
 - BSA, S45
 - Bursa-derived, S89
- C**
- C. perfringens*, S11, S14, S139
 - Cage washing, S6
 - Caged laying hen, 199
 - Calcium, 103, 227, S122
 - Calcium phosphorus, 226
 - Calsporin, 228, S175
 - Campylobacter*, 6, 25, 77, 78, 122, 191, M51, S1, S3, S5, S8, S34, S35, S37, S201, S205, T37
 - Campylobacter coli*, S152
 - Campylobacter jejuni*, M52, S74, S152
 - Campylobacter* spp., 73, M48
 - Cancellous bone, S173
 - Candidate genes, T18
 - Canola, T53
 - Carbohydrate inhibition, 47
 - Carbon dioxide, S212, S213
 - Carbon dioxide cooling, T38
 - Carcass, M25
 - Carcass defects, S2
 - Carcass traits, S61
 - Cardiac index, S163
 - Carnitine, 56, S80, T24
 - Ceca, 122, S205
 - Cecal microbial ecology, S48, S49, S195
 - Cell-mediated immunity, 49
 - Cellulitis, S143
 - Cereal type, M17
 - Chelated calcium, T46
 - Chick, 224, S62
 - Chick embryo, T35, T49
 - Chick quality, 75
 - Chicken, 43, 49, 50, 51, 72, 106, 160, 174, 176, 177, 184, S42, S125, S184, S206, T44, T8
 - Chicken anemia virus, 38
 - Chicken enterocytes, 42
 - Chiller, S1
 - Chilling, S3, S11
 - Chlorate, S8, S73
 - Chlorine concentration, 10
 - Choline, S20, S21
 - Citric acid, 212, T31
 - Civilization, 1
 - Clavicles, 19
 - Clopidol, S59
 - Clostridium, S55
 - Clostridium perfringens*, 18, 65, 66
 - Cocci challenge, S123
 - Coccidia, 71, S43, S48, S119, S204, T12
 - Coccidia immunity, S50
 - Coccidia vaccination, S47, S150
 - Coccidia vaccine, 164
 - Coccidiosis Vaccination, S49
 - Coccidiosis, 42, S50, S59, S60, S183
 - Color, 13, T52
 - Combination, 213
 - Commercial layers, S41
 - Comparative map, T18
 - Competitive exclusion, S185
 - Complex activity and protein expression, 53
 - Computer aided instruction, 138
 - Conservation, 3, 4
 - Consumer prices, T54
 - Contamination, S83
 - Conveyor belt, S9

- Copper, M30, M32, T34
 Corn distillers dried grains with solubles, M36
 Corn, 211, S99, S128, S190
 Cortical bone, S173
 Corticosterone, S70, S115, S215
 Cottonseed meal, S13, T47
 CpG-ODN, 165, S45
 Creatine kinase, S81
 Creatine phosphokinase, M61
 Crop and gizzard, 9
 Cross-contamination, S35
 Cross-reaction, S154
 Cross-reactivity, S214
 Crude fiber, 153, 154, M19
 Crude protein, S65, S183, S189
 Cryopreservation, 2, T32
 Crystal Violet, 170, S85
 Cup Drinkers, S218
 Cytokine, 174
- D**
- Dark spot, S194
 Database, 142
 DDGS, 149
 Decorin, 108
 Deep pectoral myopathy, T51
 Defluorinated phosphate, 229
 Degermed-dehulled corn, S196
 Dekalb, S182
 Denaturing gradient gel electrophoresis, 152
 De-Nol, 78
 Density, 125
 Detoxification, 218, S120
 Development, 84, 105, S189
 DEXA, M28
 DGGE, 164, M50, S48, S49, S195, S211
 Dicalcium phosphate, 126, 229
 Diet, 91, S127
 Dietary calcium, T46
 Dietary crude protein, S188
 Dietary efficiency, T6
 Dietary energy, 147
 Dietary Immunoglobulins, S62
 Dietary nitrogen, M24
 Dietary protein, S12
 Digestibility, 206, M33
 Digestible amino acids, M37
 Digestible Protein, M31
 Digestion, S19
 Digestive tract, S149
 1,25-dihydroxycholecalciferol, S125
 Dilated cardiomyopathy, S52
 Diluents, M56
 Direct-fed microbial, S175
 Disease, S79
 Disinfectant, 120
 Disinfection, S139
 Distillers dry grains with solubles, 150, T25
 DNA vaccination, S86
 Dopamine, 55, 171
 Dosimetry, S161
 Drinking water, M54, S29, T10
 Dry matter, S99
- Duck, M56, S107
 Duodenal mitochondria, 53
 Duodenum, S78
- E**
- E. coli*, 7, M47, T34
E. coli and *Campylobacter*, 9
E. coli phytase, S126
E. maxima, S156
E. coli-derived phytase, S123
 Early nutrition, M34
 Echocardiography, S52
 Economics, 205, S101, S103, S105
 Education, 138
 EGF, 111
 Egg, 180, 183, 185, 186, 224, 225, S194, T40
 Egg characteristics, S41
 Egg composition, 187, S32
 Egg cooking temperature, 183
 Egg formation, 138
 Egg functionality, 188, S32
 Egg mass, S67
 Egg natural barrier, S221
 Egg physical characteristics, S194
 Egg position, 33, S112
 Egg processing, 180
 Egg production, 194, M35, S67, S84, S118, T11, T15, T27
 Egg quality, 180, 184, 187, M14, M16, M40, S122, T56
 Egg sequence, 34
 Egg shell strength, M5
 Egg size, 63
 Egg size distribution, 184
 Egg solids, 185
 Egg specific gravity, M5
 Egg storage, 33, S112
 Egg traits, 219
 Egg white lysozyme, T38
 Egg yield, S65
 Egg yolk, 167, S197
 Egg yolk antibodies, S178, T9
 Egg yolk color, M40
 Egg-loss weight, S221
 Egg-quality and composition, T16
 Egg-yolk and egg-white, S42
 Eggs set, M59
 Eggshell 49, M14
Eimeria maxima, T8
Eimeria spp., S47
Eimeria, 92, 165, 169, S39, S43
 Electrolyzed water, 10
 ELISA, S42, S87, S138, S147, S214, T3, T37
 Embryo, 110, S46, S80, T22, T45
 Embryo development, S162
 Embryo diagnosis, S31
 Embryo survival, T46
 Embryogenesis, 103
 Embryonic, 80
 Embryonic development, S217
 Emissions, S108, S212
 Endogenous amino acid flow, 102
 Endogenous energy losses corrected to zero-nitrogen balance, T57
 Endogenous energy losses, T57
 Endogenous losses, S124
- Endogenous retroviral elements, S165, T14
 Energy, S25, S95, S130, S131, S192, T19, T20
 Energy balance, T44
 Enrofloxacin, 77
 Enteric pathogen, S56
 Environment, S54
 Enzyme, 157, 206, 207, 213, S18, S128, S133, S183, T4
 Enzyme activities, T35
 Enzyme hydrolyzed casein, 102
 Enzyme supplementation, 122
 Enzyme utilization, 209
 Eosin-Y, 170, S85
 Epidemiology, S83
 Epitopes, S142
Escherichia coli, S58
Escherichia coli 0157:H7, S154
 Essential oils, 71, S47, S48, S49, S97, S98, S150, T12
 Estrogen, S81
 Etiology, S93
 Eutrophication, S179
 Excretion, 22
 Experiential learning, 140, 145
 Exponential regression, S68
 Extruded canola seed / pea mixture, M41
- F**
- Fat, S17, S95
 Fat digestibility, 153
 Fatty acids and cholesterol, T40
 Feathermeal, M31
 Fecal contamination, S7
 Feed additive, 159, S150, S204, T23
 Feed consumption, S40
 Feed conversion, S36, S39, S178
 Feed conversion ratio, T17
 Feed efficiency, 53, S78, T33
 Feed enzyme, S192
 Feed enzyme system, S50
 Feed form, S103
 Feed grade, S94
 Feed intake, 123
 Feed passage, 155
 Feed program, 28
 Feed restriction, 24, 35, T30
 Feed withdrawal, 30, 60, 129, S26, S202, S203
 Feeding regimen, S65
 Feeding strategy, 130, T5
 Feeding time, 203, S107
 Ferrous sulfate, T58
 Fertility, M59
 FFA, 141
 Field data, S75
 Fishmeal, S134
 Flax, T53
 Flething, 35
 Fluoride, 199
 Follicle stimulating hormone, T48
 Food intake, 176
 Food safety, 192, S9, S56, S71
 Food security, 192
 Foot ash, S117
 Foot pad, S89
- FOS, M46, S72
 Fowl cholera, S148
 Frame size, T30
 Free fat acid, T22
 Free range, 70, 132, S160
 Frequency, M53
 Fresh chicken, 190
 Frizzle gene, T1
 Functionality, 186
 Furazolidone, S52
 Fusarium, 195
- G**
- Gait scoring, S114
 Galactosidase enzyme, S22
 Galactosidase, S23
 GALT, 41, S85
 Gender, S159
 Gene expression, S78, S188
 Genetic algorithms, S207
 Genetic diversity, 2
 Genetic lines, S164
 Genetic resources, 3
 Genetic strains, 4
 Genetics, M58, S58
 Genome sequence, 4
 Genotype, 197
 Gizzard, S92, S216
 GLP-1, T43
 GLP-2, T43
 Glucagon, T43
 Glucanase, S64
 Glucocorticoids, 106
 Gluconeogenesis, 112
 Glutamic oxaloacetic transaminase, M60
 Glutamine, 68, 92, 96
 Glycine, S14
 Glycogen, M23, S176, T29
 GnIH, 51
 Gonadal germ cells, 50, T32
 Gonadotropin releasing hormone, T48
 Gossypol isomers, S13
 Gossypol, 76, T47
 Grains, S24
 Granulosa cells, T36
 Green tea, M4
 Growing pullets, 148
 Growth, 207, S36, S62, S178, T17
 Growth and development, S184
 Growth efficiency, 201
 Growth equations, S207
 Growth pattern, 81
 Growth performance, S18, S24
 Growth promoters, T28
 Guinea fowl, S165, T14
 Gut microbial communities, S50
 Gut morphology, S164
- H**
- 4-H, 135
 H2O2 production, S78
 HACCP, 192
 Haemorrhages, S151
 Halothane, 162
 Haptoglobin, S166
 Harderian gland, S138

- Hatch, S92
 Hatch rate, 56
 Hatch weight, 75, S113
 Hatchability, 203, M59, S31, S46, S107, S112, S113
 Hatching egg storage, S31
 Hatching time, T59, T60
 HB-EGF, 111
 HD11, 46
 Head shrimp meal, T56
 Health, S219
 Heart, 160, S162
 Heat production, S82, T45
 Heat stress, 13, 14, 99, 129, S82
 Hemagglutination inhibition, S86
 Hemicell[®]-W, S129
 Hen, 5, 197, 214, S25, S77, S95, S181, S218, T19, T20
 Hepatic free amino acids, T49
 Heritability, 82
 Heterophil, T2
 Heterophil/lymphocyte ratio, S58
 High altitude, S217
 High throughput, S51, S91
 Hisex Brown, S218
 Histology, S66
 Histomonas, S83
 HMB, S20, S21
 Holo-analysis, 217
 Hormone receptors, 38
 Housing density, T13
 Humoral immunity, S202
 25-hydroxy vitamin D₃, 221
 2-hydroxy-4-methylthio butanoic acid, 97, 99
 Hypertension, 62
 Hypothalamo-pituitary-adrenal axis, 107
- I**
- IBDV, 168, S93, S141
 IDEA, S134
 Ideal Protein, S103
 Ig receptors, 41
 IgA, S147
 IgG, S147
 IgY and IgA, S42
 Ileal digestibility, 208, 215, 89
 Immersion chilling S8, T50
 Immersion scalding, 8
 Immune response, 40, 92, S166
 Immune suppression, S120
 Immune system, 96
 Immune tissues, 43
 Immunity, 39, S75, S153, T8
 Immunocapture, S154
 Immunocompetence, T1
 Immunological stimulus, 97
 Immunology, 48, S62
In ovo, S60
 In ovo feeding, 95, M23, S19, S113, T29
 In ovo injection, 56
 In ovo nutrition, S176
In vitro assay, S134
In vitro procedure, S127
In vivo, T9
 Incubation, 29, 32, 63, 79, S30, S109, S217, S221
- Induced molt, S202
 Infectious bursal disease, S151
 Infectious Laryngotracheitis, S147
 Inflammation, S166
 Inflammatory process, S143
 Influenza, S86
 Ingesta contamination, 9
 Inhibition, S9
 Innate, 40
 Innate immunity, 221, T2
 Inside-outside bird washer, S7
 Inspection, 133
 Inspector, 134
 Instruction, 139
 Insulin-like growth factor-1, S77
 Internal organs, 25
 Intestinal development, 175
 Intestinal immunity, T4
 Intestinal microflora, 67, S33
 Intestine, 60, 159, S26, S53, S55, S66, S146
 Intratracheal, S89
 Invasion assay, 42
 Iodinated casein, S174
 Ionophore, 161
 Iron, M54, M55
- J**
- Japanese quail, T15, T16
 Judging, 137
- L**
- Lactobacilli, T34
Lactobacillus, 66, S79
 Lactose, 65, S79, S220
 Lameness, S114
 Late embryo loss, S46
 Lauric acid, S157
 Layer hens, S137
 Layer strain, S122
 Layers, 166, 167, 206, M16, S33, S84, S206, S209, S210
 Laying hen, 123, 146, 178, 185, 186, 187, 193, 195, 196, 219, S66, S67, S73, S174, S175, S197, T3, T56
 Laying hen behavior, 198
 L-carnitine, S161
 Leghorn, 227, T27
 Leghorn hens, S217
 Lesions, S92, S93
 Leukocyte marker, 48
 LH, 51, 104
 Light Duration, S116
 Light, 131
 Lighting, 12
 Lighting program, 116, S116
 Limestone, S122
 Limit feeding, 146
 Lincomycin, S186
 Line, T45
 Liomyoma, 61
 Lipid, S80, S194
 Lipid oxidation, M8
 Lipogenesis, S12
 Lipopolysaccharide, 62
 Liquor by-product, T23
Listeria monocytogenes, 17, 20, 21
- Litter phosphorus, 230
 Litter production, S27
 Litter, 115, 118, 119, S54, S212, T58
 Live performance, 116, S61, S109
 Live vaccine, S50
 Liver, 59
 Livestock shows, 136
 Low crude protein, S195
 Low crude protein diets, S61
 Low phytate, S190
 Low-phytate soybean meal, S196
 Lung antibody, S56
 Lutein, S197
 Luteinizing hormone, T48
 Lycopene, S197
 Lymphocytes, 49, S206, T33
 Lymphoid organs, M52
 Lysine, 91, 100, M42, S15, S106, S184, S193
- M**
- Macrophage, 46
 Magnetic-beads, S91
 Malpositions, 29
 Management, 132
 Manganese, M43
 Mannan oligosaccharide, 115, 200, 217, M9, M15, S121
 Manure, 196, 216, M39, S99
 Marek Disease, S149
 Marination, 17
 Marine algae, T40
 Mash conditioning temperature, M13
 Mass balance, 117
 Mass euthanasia, 114
 Maternal antibody, S42
 Mathematical models, S207
 Mating behavior, 23
 ME value, S129
 Meat quality, 12, 14, 15, M3, M8, S158, S159
 Meat and yield, S116
 Medullary bone, S173
 Meleagris gallopavo, S52
 Mesotocin, 55
 Met+Cys/Lys ratio, S181
 Metabolisable energy, 148
 Metabolism, M27
 Metabolizable energy, M36, S94
 Methanogenic archaea, M44
 Methionine, 98, 99, 231, S100, S104, S132
 Methionine and one carbon metabolism, T35, T49
 Methionine sources, M11, S68
 MGA, 109
 Mice, S148
 Microbial communities, S75
 Microbial ecology, 164, M50, T12
 Microbial shedding, 177
 Microbial uricase activity, 71, S204
 Microbicide, S157
 Microbiology, S6, S7, T50
 Microbiota, S72
 Microclimate, S108
 Microflora, S26, S33, S53, S54, S71, S146
 Microgravity, 103
 Midnight feeding, 123
- Mineral, M21, M28
 Mintrex, 231, S132
 Modeling, S11, S184
 Moisture, S80
 Molecular diagnosis, S51
 Molt, 146, M28, M7, S77, S174
 Molted hens, S221
 Molting, 109, 194, S73, S118, S209
 Monensin, S59, S146
 Mononuclear leukocytes, 45
 MOS, S119
 Most-probable-number (MPN), M44
 mRNA expression, 57
 Mucosal immunity, S56, S85
 Muscle, 108, 72
 Mushrooms, M49
 Myco-Ad, S171, S177
Mycoplasma gallisepticum, 166, 167, S41, S84, S206
 Mycotoxin, 218, S187
 Myogenic cell, 80
 Myopathy, 162, S81
 Myosin, 86
- N**
- n-3 Polyunsaturated fatty acid, 160
 Naked neck gene, T1
 Natural antibody, 47
 Necrotic enteritis, 65, 66, M11, S14
 Nest run eggs, 179
 New technologies, 150
 Newcastle disease, S151
 Newcastle Disease vaccine, S202
 NH3, 128
 Nicarb, S59
 Nipple drinkers, S36, S218
 NIR, S128
 Nisin, 20
 Nitric oxide, 46, 62, T42
 Nitric oxide production, 45
 Nitrite, S153
 3-Nitro, 210, M29
 Nitrocompounds, 74
 Nitrogen mass balance, S28
 Nitrogen, 117
 NMDA receptor, 176
 Non-feed removal molting, T41
 Nonlinear model, 83
 Nuclear transfer, T32
 Nutrient density, 147, S116
 Nutrient digestibility, 154
 Nutrient excretion, 196
 Nutrient levels, 194
 Nutrient reduction, S123, S126, T26
 Nutrient Requirements, S182
 Nutrient transporters, 95
 Nutrient utilization, 26
 Nutrients, 118
 Nutrition, 225
 Nutritive value, M41
- O**
- Ochratoxicosis, S120
 Ochratoxin A, S120, S155
 Ochratoxin, S171
 Oligosaccharide, 151, S22, S23
 Omega-3, T53

- Omega-3 fatty acids, S77, T41
 Oncogene, 37
 Optic nerve transection, 52
 Oral, 165
 Orally immunization, S90
 Organic, 15, 216, 70, M39, S75, S160
 Organic acids, 158, S74, S97, S98, S203
 Organic chicken, 189
 Organic minerals, 222, M14
 Organic production, 209
 Organs, S30
 Osmolality, S113
 Ovarian cancer, 5
 Ovarian development, 173
 Ovarian granulosa cells, 111
 Ovarian morphology, 24
 Oviduct, 61, 105
 Oviposition time, 34
 Oxidative stress, 76
 Oxygen, S217
- P**
- P availability, 149
 P release, S127
 Packaging, T52
 Particle Size, S122
 Particulate matter, 128
 Partridge, 131
Pasteurella multocida, S138, S148
 Pathogen reduction, S1
 Pathogenesis, S151
 Pathology, S149
 PBEF1, 174
 PCR, T7
 Peanut meal, 226, 227
 Peanut skins, 14
 Pearl millet, S24
 Pectoralis minor, T51
 Penetration, S10
 Performance, 230, M2, M12, S38, S41, S60, S65, S72, S121, S123, S126, S219, T28
 Performance standards, 18
 Pet food grade, S94
 Peyer's patch, 170, S85
 PFGE, M45
 pH, 13, M43
 Phages, S57
 Phase feeding, S96, S101
 Phosphorus, 22, 126, 127, 202, M20, M38, M55, S99, S117, S196, T31
 Phosphorus availability, 229, T25
 Photoreceptors, 172
 Phylogenetic analysis, S136
 Phytase, 201, 214, 215, M16, M20, M21, M26, M38, S64, S66, S67, S124, S131, S179, T25, T26
 Phytate phosphorus, S125
 Phytoestrogen, 105
 Phyzyme®, 214
 Pigmentation, S119
 Plane of Nutrition, S158
 Plant-cell-made, S4
 Plasmid, S57
 Polymerase chain reaction, S165, T14
 Polymorphism, 85
 Polyunsaturated fatty acid, M10
- Poult, 63
 Poult enteritis, S88
 Poultry, 11, 21, 114, 133, 134, 156, S4, S35, S84, S87, S134, M41
 Poultry by-product meal, S94
 Poultry drinking water, S76
 Poultry fat, S41
 Poultry housing, S108
 Poultry judging, 135
 Poultry litter, M47
 Poultry litter ash, 126, 127
 Poultry processing, 121, S157
 Poultry semen, 2
 Poultry stocks, 3
 pQCT, S173
 Prebiotic, 151, S38, S180
 Predictive modeling, 18, 119
 Pre-laying, 91
 Pre-slaughter handling, S2
 Prestarter diet, M6, S24
 PRL, 110
 PRLR, 110
 Probiotic, S36, S38, S44, S53, S72, S79, S137, S180, S185, S219, T10
 Probiotic culture, S220
 Processed broilers, M53
 Processing, M26, S2, S35
 Processing plant, 73
 Processing yield, S109
 Product cost comparisons, T54
 Production, M37, S4
 Production efficiency, 198
 Productive Energy, S64
 Productive performance, M19
 Progeny, S16, S89
 Prolactin, 43, 113
 Protection, S148
 Protein, 131, 169, S15, S39, S133, S193, T19
 Protein synthesis, 195
 Proteomics, 98, T33
 Proventriculus, S92
 Proventriculus, S93
 Pullets, 161
 Pulmonary hypertension, 223, T42
 Pulmonary hypertension syndrome, S163
 Pulmonary hypertensive response to LPS, 45
- Q**
- q-PCR, 84
 Quail, 203, S107
 Quantitative, S91
 Quantitative trait loci, T18
- R**
- Ready-to-eat, 21, S11
 Rearing environment, 88, 93
 Rearing programs, M35
 Recessive white, 87
 Recruiting, 136, 141, 142, 144, 145
 Recruitment, 140
 Red pepper, M2, M4
 Reference antisera, S86
- Refrigeration, 181
 Regression analysis, S207
 Reovirus, S89, S142
 Reproductive success, 23
 Requirement, S15
 Residual feed intake, T17
 Residual yolk, 75
 Resistance, S54
 Respiratory tract bacteria, 8
 Retail grocery, T54
 Retention, M30
 Retinal, 172
 Retrovirus, 87
 RNA isolation, S51
 Roaster, 230, T51
 Rooster, T57
 RRT-PCR, S51, S91
- S**
- 16S rDNA, M44, S211
 Salinomycin, S59
Salmonella, 39, 68, 69, 119, 177, 178, 179, 183, 189, 190, 191, M15, M51, S1, S3, S8, S18, S34, S57, S62, S73, S74, S203, S205, S214, S216, T6, T7
 Salmonella control, S137
 Salmonella danysz, S140
Salmonella enteritidis, 181, 182, M46, S10, S44, S56, S152
 Salmonella enterotoxigenic activity, S140
 Salmonella enterotoxins, S140
 Salmonella gallinarum, S140
Salmonella heidelberg, S10
 Salmonella infection, S137
Salmonella issatschenko, S140
Salmonella typhimurium, S45, S152, T9
 Sampling, 179
 Sanhuang broiler, S129
 Sanitation, S5, S6
 Sanitization, S5
 Scalding, 7, S3
 Scaleless, S3
 SCFA, M50
 Scratches, S143
 Selection, 82, T15, T16, T59, T60
 Selenium, 76, 224, 225, M3, S153
 Self-propelled, S210
 Semen, M56
 Semen analysis, S110, S111
 Semen storage, 27
 Semen traits, S161
 Sensory, S160
 Sequence, S141
 Sequencing, S88, S211
 Seroconversion, S210
 Serotonin (5-HT) neuron, 171
 Serotonin, 113
 Serotype, M45, T7
 Serovar, S57
 Sex, 88, 93
 Sex differences, 107
 Sexual maturation, 52
 Sexual maturity, T11
 Shelf life, 11, S160
 Shell eggs, 178, 182, T38
 Shell quality, S175
- Shell strength, 182, 188, S32
 Shell thickness, 228
 Show, 133
 Sigma C, S142
 Sigma C protein, S90
 Silymarin, S187
 Skip-a-day feeding, 31
 Slow and fast feathering, 26
 Smad, 173
 Somatic nuclear transfer, 50
 Somatostatin, 44
 Soybean meal, 155, S22, S23, S190
 Soybean meal carbohydrases, 157
 Soybean meal / meat meal, 156
 Speciation, 6
 Sperm concentration, S161
 Sperm metabolism, 58
 Sperm motility, 58, S110, S111
 Sperm quality index, 27, 58
 Spot 14, M24, S12
 Spray-dried plasma, M12, M13
 SRBC, 96
 Starch digestibility, 211, S128
 Starch gelatinization, M27
 Statistical methodology, 83
 Steroidogenesis, T36
 Stocking density, 124, 198, S40, S69, S70, S71
 Storage period, T59, T60
 Strain, 19, S65, S158, S159, S182, T27
 Strain cross, 16
 Stress, 67, 107, 197, M58, S37, S79, S115, S215, T13
 Student recruitment, 143
 Stunting, S88
 Subunit vaccine, S148
 Sudden death, M60, M61
 Sudden death syndrome, M10
 Sulfamethazine, 52
 Sulfur amino acids, 88, S20, S21
 Supplement, 112
 Surveillance, S51
 Survey, 134
 Sweet potato tuber meal, 148
 Synthetic amino acids, S61, S189, S195
 Synthetic lysine, S181
- T**
- T cell, 44
T. mycotoxinivorans, S120
 T-2 toxin, S121
 T4, S174
 TAAD/IDEA, 156
 TBARS, M8
 Teaching, 140
 Telomerase, 84
 Temperature, 32, 79, S30, S109, S208
 Tenderness, 12, S160
 Theca, granulosa, 54
 Thermoregulation, S82
 High yield, T24
 Thiram, 220
 Threonine, 93, 188, S32, S105
 L-threonine, 94
 Thymus, 44
 Thyroid, S163

- Thyroid function, S162
 Thyroxine, S174
 Tibia ash, S117
 Tibial dyschondroplasia, 220
 Tight junction mRNA expression, 175
 Tissue content, 222
 TME, S124
 TMRCA, 168
 Toe ash, S117
 Top-dressing, S27
 Toxicity, T47
 Toxicosis, 161
 Toxin, S55
 Toxin T-2, S177
 Trace mineral, 216, M22, M39
 Transcription, 38
 Transepithelial electrical resistance, 175
 Transforming growth factor beta, 108
 Transport, 41, M42
 Transport cage, S5, S6
 Transport crate, S139
 Transport stress, S58
 Trees, S108
 Triiodothyronine thyroxine, S163
 Tripotassium phosphate, S157
 Trypsin inhibitor, 155, S178
 Tumor, 37, 61
 Turkey, 6, 17, 48, 57, 79, 69, 80, 86, 113, 149, 152, 162, 200, 201, 202, 217, M23, M36, S1, S11, S18, S19, S29, S36, S38, S58, S83, S88, S110, S111, S113, S176, S216, S219, T2, T29
 Turkey Astrovirus, S88
 Turkey bologna, 20
 Turkey hypothalamus and brainstem, 171
 Turkey osteomyelitis complex, M58
 Turkey pepperoni, T52
 Turkey poult, 208, M34, S44, S196, S211, S220
 Turkey show, 137
 Turning, 33, S112
 Turning angle, 29
 Tylan[®], T20
 Typing methods, 69
 Tyrosinase gene, 87
- U**
- Ultra high yield broiler breeders, M35
 Ultra violet irradiation, S125
 Unabsorbed yolk, 64, M51, S205
 Unabsorbed yolk sac, M53
 Undergraduate, 141, 142
 Undergraduate research, 139
 Undergraduate students, 144
 Undergraduate teaching, 139
 Uniformity, 205, S130
 Urea, S155
 Urease, S178
 Uric acid-utilizing microorganisms, 74
 Use of space, 125
- V**
- Vaccination, 169, S39, S138, S206
 Vaccinator, S210
 Vaccine, 39, S4, S43, S60, S84
 Valine, S191
 Vegetative barriers, S108
 Vegetative shelter belt, 128
 Ventilation, S208, S213
 Versazyme[™], S133
 Very virulent, 168
 Virginiamycin, S186
 Virulence, S57
 Vitamin, 220
 Vitamin D, M5
 Vitamin D₃, S16, S125
 Vitamin E, 223
 Vitelline membrane, S10
 Vitelline membrane penetration, 181
 Vitellogenin, 109
- W**
- Washing, S5
 Wastewater screening, 121
 Wastewater solids, 121
 Water, 64, M43, S218
 Water consumption, S40
 Water intake, 158
 Water sanitizers, S76
 Welfare, 193
- Wheat, M9, S18
 Wheat middlings, S202, T31
 White Leghorn, S161
 Whole grain, S216
 Wood, S216
- X**
- Xanthophylls, S155, S156
- Y**
- Yarrow, S17
 Yeast culture residue, S201
 Yolk, S10, S194
 Yolk antibody, T3
 Youth, 135, 137
 Youth conference, 145
 Youth programs, 136
- Z**
- Zinc bis(-2-hydroxy-4-methylthiobutyrate), S132
 Zinc, 231, M30, M32
 Zinc, S132
 Zona pellucida proteins, 57