

# SUBJECT INDEX

Numbers following key words are abstract numbers for oral presentations, abstract numbers preceded by MP are Monday poster presentations, abstract numbers preceded by TP are Tuesday poster presentations, and abstract numbers preceded by WP are Wednesday poster presentations.

- A**
- absorption, 105
  - acid-insoluble ash, MP296
  - activation-induced cytidine deaminase, 158
  - active learning, 153, 242
  - acute phase response, 22
  - 3-*O*-acetyltransferase, TP407
  - ad libitum feeding, 239
  - additive, MP303, MP304
  - additivity, TP337
  - adenovirus vector, 5
  - administration, 38
  - age at sexual maturity, TP417
  - air chilling, 120
  - all natural, 13
  - alternate and classic complement pathways, 63
  - alternative, TP411
  - alternative feed, TP365
  - alternative to antibiotics, 104
  - aluminum sulfate, 73
  - AME<sub>n</sub>, MP318, TP367
  - amino acid, MP288, MP298, TP349, 30, 31, 96, 205
  - amino acid balance, TP364
  - amino acid digestibility, TP337, TP346, 86, 199
  - amino acid digestibility in broilers, MP294, MP295
  - amino acid transporter, MP297
  - amino acid, wheat, broilers, TP357
  - ammonia, 74, 75, 76, 196
  - AMPK, 119
  - anaerobe, TP396
  - analysis of variance, MP315
  - animal welfare, 34, 151
  - antibiogram, TP389
  - antibiotic, TP389
  - antibody, MP260
  - antibody titer, MP252, 79
  - antimicrobial, TP389, TP392, 17, 125
  - antimicrobial activity, TP344
  - antimicrobial peptide, MP252, MP255
  - antioxidant, TP400, TP401, 91
  - Apicomplexa, MP250
  - APN, MP297
  - apoptosis, 158
  - apparent ileal digestibility, MP302, TP357
  - apparent metabolizable energy, TP372
  - applied physiology, TP404
  - arabinoxylan, MP286
  - artificial turf, TP416
  - ascites, MP275, 58
  - ascorbic acid, MP269, 212
  - Aspergillus niger*, TP343
  - astaxanthin, MP308, TP340
  - atherosclerosis, 214
  - audit, 151
  - autoinducer-2, 99
  - avian, 1, 2
  - avian bile, MP273
  - avian influenza, 3, 4, 5, 6, 7, 10, 11, 144
  - Azomite, 225
- B**
- Bacillus licheniformis*, 175
  - bacitracyn, TP379
  - bacteria, MP320, 16, 77, 121
  - bacterin, MP251, 178
  - bacteriocin, 124
  - barley, MP302
  - Bayesian estimation, TP418
  - beak trim, 137
  - bedding source, MP322
  - behavior, TP413, 191
  - Bifidobacterium*, MP317
  - bilingual, 245
  - bioactive peptide, TP395
  - bioavailability, 163
  - bioethics, 34, 35
  - biofilm, 127
  - Biolys, 27
  - Bio-Mos, 172, 173
  - biosecurity, 10, 145
  - bird, MP270
  - blood, MP321
  - blood meal, TP383
  - blood parameter, 235
  - BMD, 172
  - body temperature, 239
  - body weight, 136, 197
  - bone density, MP313, TP373, TP377
  - bone development, TP355, 181
  - bone mineral density, TP415
  - bone strength, TP377, 182
  - Bordetella avium*, 180
  - breast meat quality, 123
  - breast meat yield, 225
  - breeder, 51
  - broiler, MP261, MP275, MP276, MP281, MP283, MP296, MP298, MP299, MP300, MP305, MP307, MP316, MP317, MP324, MP325, MP326, MP328, MP332, TP336, TP337, TP359, TP364, TP378, TP382, TP387, TP408, 20, 24, 25, 26, 30, 32, 33, 56, 68, 69, 72, 76, 86, 87, 94, 98, 101, 106, 107, 108, 110, 121, 126, 147, 159, 161, 162, 167, 176, 189, 191, 199, 201, 209, 226, 230, 236, 237, 238
  - broiler breeder, MP272, MP287, MP312, MP329, TP371, TP381, 93, 138, 139, 141, 142, 146, 164, 195
  - broiler breeder flock age, 143
  - broiler breeder male, 136
  - broiler carcass, 128
  - broiler chick, MP279, TP362, 109
  - broiler chicken, MP322, TP343, TP344, TP345, 123, 210
  - broiler embryo, 50
  - broiler, lipopolysaccharide, light, 65
  - broiler performance, MP301, 95, 143, 149, 206
  - brooding temperature, 72

brown egg, TP402  
 brown egg color, 227  
 brown egg layer, 218, 220  
 Brown laying hen, MP282  
 brown pullet performance, TP341  
 bursa of Fabricius, TP405  
 butyrate, 230

## C

cage-free production, 14  
 calcium level, MP282  
 calcium source, MP282  
 calcium-to-phosphorus ratio, TP355  
 Calsporin, 227  
*Campylobacter*, MP321, TP387, 133  
*Campylobacter jejuni*, 213  
 caprylic acid, TP397, 48  
 carbohydrase, TP350  
 carcass, 21, 28  
 carcass bacteria recovery, 126  
 carcass microbiology, TP386  
 carcass weight, 66  
 carcass yield, MP301, TP363, TP376  
 catecholamine, 47  
 CEIRS, 8  
 cell proliferation, MP258  
 cellulitis, 178  
 challenge, 213  
 chemical and physical composition, TP335  
 chemical composition, 81, 82, 92  
 chemokine, 113  
 chick, TP358  
 chick growth, 140  
 chick navel, 52  
 chick performance, 66  
 chicken, TP397, TP411, 5, 14, 119, 183, 188, 228  
 chicken breast, 120  
 chicken CD40, MP254  
 chicken embryo, MP267, MP268  
 chicken embryo cell, TP409  
 chicken intestine, MP309  
 chicken prostaglandin E<sub>2</sub>, 115  
 cholesterol, 223  
 cholesterol oxidative product, TP401  
 chromic oxide, MP296  
 circadian rhythm, 43  
 classroom response system, 154  
 clicker, 154  
 climate, 192, 193  
 clinical chemistry, 42  
 cloacal gland, MP262  
 cloning prostaglandin F<sub>2α</sub>, 115  
*Clostridium butyricum* Miyairi 588, MP299  
*Clostridium perfringens*, 59, 174, 175, 231, 233  
 clubbed down, 217  
 Coban, MP328  
 coccidia, MP328  
 coccidiosis, 71, 176  
 coccidiosis vaccination, MP326, 101  
 cold stress, 190  
 coliform, 128  
 compost, 78  
 concentration, 193  
 conjugated linoleic acid (CLA), TP342, TP380  
 conjugated linoleic acid, eicosapentaenoic acid, docosahexaenoic acid, 132  
 control, 2  
 cooling, MP329  
 copper, 161, 162  
 copper source, TP374

copulation, 53  
 core body temperature, 210  
 corn, MP286, 94  
 corn distillers dried grains with solubles (DDGS), 81  
 corn fibrous-protein cake, MP290  
 corn-soybean meal diet, TP350  
 corticosterone, 44, 45, 111  
*Coturnix coturnix japonica*, TP413  
*Coturnix* embryo, 217  
 crab meal, MP308  
 creatine, 226  
 crude protein, 138  
 cyclooxygenase-2, 102  
 cytogenetics, 219  
 cytokine, 58, 60, 113

## D

Dectin-1, MP256  
 deep pectoral myopathy, MP325  
 deli loaf, TP393, TP394  
 depopulation, 189  
 desaturase inhibition, TP342  
 detrended fluctuation analysis, TP410  
 development, MP265  
 diallele cross, 221  
 Diamond V XPCI, MP293  
 diet, TP341  
 diet formulation, 166, 168  
 diet-induced thermogenesis, 210  
 diet preconditioning, 169  
 dietary acid, 196  
 dietary antibiotic, MP253  
 dietary balanced protein, 211  
 dietary energy, TP360  
 dietary protein, 195  
 digestibility, TP349, TP382, 24, 202, 207, 208  
 digestible lysine, 29  
 digestive morphology, 169  
 digestive trait, TP341  
 direct-fed microbial, 227  
 disease control, 10  
 disease eradication, 179  
 disease resistance, 222  
 disinfectant, MP327, 144, 145  
 distance education, 243, 245  
 distillers by-product, TP353  
 distillers dried grains with solubles (DDGS), MP314, TP346, TP349, TP351, TP352, TP369, 83, 84, 85, 87, 204  
 distillers grains with solubles, 85  
 divergent selection, 223  
 DNC, MP274  
 DOA, 131  
 dopamine neuron, 47  
 dose, MP280  
 dose response, MP289  
 duck, MP271, 63, 150  
 dust bath, TP412

## E

*Echinacea purpurea*, 95  
 economics, 20  
 education, 40, 240, 244  
 EEG, 189  
 egg, TP384, TP395, 90, 91, 129, 164  
 n-3 egg, TP401  
 egg enrichment, 160  
 egg hatchability, 45  
 egg incubation, 103  
 egg incubation length, 44

egg production, TP381, 137, 138, 139, 157, 165  
 egg quality, MP278, MP310, TP342, TP375, TP416, 134  
 egg sanitation, 146  
 egg weight, TP420, 197  
 egg yolk granule, MP267  
 eggshell, 55, 80  
 eicosanoid, 224  
*Eimeria*, MP250, TP354, 232, 234, 235  
*Eimeria acervulina*, TP348  
*Eimeria maxima*, 231, 233  
*Eimeria tenella*, 71  
 electron spin resonance, TP366  
 Elusieve, 87  
 embryo, TP380, 150  
 embryo edema, 215  
 embryo weight, 103  
 embryogenesis, 46  
 embryonic development, 64  
 embryonic heat production, 103  
 embryonic weight, TP420  
 emissions, 193  
 endogenous loss, 200  
 endoxylanase, MP280  
 energy, MP284, MP289  
 energy and protein, 197  
 energy and protein analysis, TP335  
 energy digestibility, TP351, TP352  
 energy formulation, TP353  
 energy-reduced diet, 206  
 enriched broiler meat, TP400  
 enzymatic complex, MP303  
 enzyme, MP289, MP290, MP304, MP318, MP330, TP358, TP362, TP376,  
 199, 202, 203, 205, 207, 208  
 enzyme activity, MP275  
 enzyme supplementation, 82  
 erythrocyte agglutination, lysis, immunity, 63  
*Escherichia coli*, 83, 128, 133  
 essential oil, TP344, 104, 238  
 estrogen, 55  
 Europe, 248  
 expectation, 38  
 expression profile, MP309  
 extension, 36, 37, 38, 40, 41

## F

fasting, 49  
 fat type, MP287  
 fatty acid, MP264  
 n-3 fatty acid, TP398, 90, 91, 102, 134, 224  
 n-6 fatty acid, 102  
 fatty acid profile, MP272  
 fear of humans, 186  
 feather meal, TP356  
 feather pecking, TP412  
 feathering, TP419  
 fecal, MP331  
 feed additive, TP338, TP345  
 feed behavior, TP370  
 feed form, 107  
 feed manufacture, 166, 167, 168  
 feed restriction, 239  
 feed safety, TP347  
 feed space, 142  
 feed-to-gain ratio, TP365  
 feed withdrawal, TP368  
 feeder space, 184  
 feedstuff, TP367  
 femoral head disarticulation, 100  
 fermentation, MP307

fertility, MP263, 136  
 fertility and hatchability, 143  
 fiber source, MP292  
 fishy taint, 220  
*fluC*, 171  
 floor density, MP333  
 fluorescence in situ hybridization, 219  
 FMO3, 218, 220  
 food intake, 119  
 food safety, MP323, 135  
 food science, 243  
 foodborne pathogen, 17  
 Fos, 54  
 fractal pattern, TP410  
 frame size, 195  
 French guinea broiler, MP333  
 full-fat oilseed, 90  
 fungi, TP347  
 furnished cage, TP412, TP416  
*Fusarium* mycotoxin, MP285, TP406

## G

gait, 182  
 GalliPro, 206  
*Gallus gallus*, 187  
 game fowl, 39  
 garlic, TP336  
 gas stunning, 123  
 gelatin, 122  
 gene-based vaccine, 4  
 gene expression, MP277, TP383, 43  
 genetic selection, TP410, TP414  
 genetic variability, 216  
 genetically modified corn, MP301  
 genotyping, MP321  
 GHRH, 117  
 GHRH-L, PHI, VIP, 117  
 GHRH-related peptide, 117  
 gizzard erosion, TP340  
 $\beta$ -glucan, MP256  
 glucose, MP259  
 graduate course, 244  
 grass pea, MP283  
 growth efficiency, MP330  
 growth performance, MP333  
 growth-promoting antibiotics, 70  
 guanidino acetic acid, 226  
 guar meal, 169  
 guar saponin, 99  
 $\gamma$ -gulonolactone oxidase, 212  
 gut development, 97

## H

hanging, 131  
 hatch weight, 165  
 hatchability, MP329, 146  
 hatchery, 149  
 HD-11, TP407  
 health risk, 64  
 heat shock protein, 148  
 heat stress, MP306, 46  
 hemagglutination, TP339  
 hemicell, 204  
 hemorrhage, MP264  
 hemostasis, MP264  
 hen-day egg production, 88  
 hen performance, MP284  
 heritability, TP418  
 HI test, MP252

hidden Markov, 185  
 high-protein distillers dried grain (HP-DDG), 88  
 high-protein distillers grain, 86  
 histamine, TP340  
 history, 41  
 host response, 61  
 hull, 98  
 human-animal interaction, 186  
 humidity, TP335  
 husbandry, 183  
 hydrolysate, 19  
 5-hydroxytryptamine, MP285  
 hypothalamus, MP265, 49

**I**

ideal protein, 33  
 ileal digestibility, 96  
 image analysis, 54  
 immersion chilling, 126  
 immune maturation, 64  
 immune-related gene, 216  
 immune response, MP253, MP279, MP281  
 immunity, TP339, 56  
 immunomodulation, 62  
 in ovo feeding, 97, 156  
 in ovo injection, 109  
 in vivo passage, 170  
 inactivation, 144  
 incubation, 147, 148, 149, 150  
 incubational egg weight loss, 165  
 indigenous chicken, TP417  
 induction, MP325  
 industry, 40  
 infectious bronchitis virus, 194  
 infectious laryngotracheitis virus (ILT), TP409  
 inflammation, 58  
 influenza, 1, 2, 8, 9  
 infrared, 137  
 inheritance, 215, 217  
 inhibition, 99  
 instruction, 240  
 integrated poultry operation, TP391  
 interassay variability, TP357  
 international trade, 11  
 intestinal health, MP293  
 intestinal microbiota, 229  
 intestinal villi, 52  
 intestine, TP406  
 iPod, 244  
 Iranian indigenous chicken, TP418  
 Iranian Ross broiler, MP249  
 isoleucine, 32

**J**

Japanese quail, MP262, MP263, MP266, TP420, 44, 45, 111, 221, 223

**K**

keratinase, TP356  
 keto acid, 66, 67  
 keyhole limpet hemocyanin, MP260  
 kidney lesion, 236

**L**

laboratory exercise, TP404  
*Lactobacillus*, MP300, 229  
 layer performance, MP278  
 laying hen, MP293, MP308, MP310, TP368, TP369, TP374, 27, 83, 84, 85, 88, 157, 160, 184, 196

learning, 152  
 learning by teaching, 153  
 leg abnormality, TP355  
 leg problem, 181, 182  
 lesion scoring, 71  
 linatine, 134  
 lipid, TP363, TP380  
 lipid oxidation, 132  
 lipopolysaccharide, MP261  
 liquid aluminum sulfate, 75, 77  
 liquor by-product, TP338  
*Listeria monocytogenes*, TP393, TP394, TP399, 124, 127  
 litter, MP316, MP320, 68, 69, 77  
 litter material, 79  
 litter microbe, MP322  
 litter moisture, 141  
 litter treatment, MP320, 74, 75, 76  
 live performance, 211  
 liver and brain, MP268  
 lysine, 28  
 L-lysine-HCl, 27  
 low temperature, 108  
 luminescence, TP396  
 lymphocyte, MP258, MP259, 62  
 lysine, TP364, 22, 23, 25, 30, 31, 33

**M**

M2e, MP251  
 macronutrient, MP313  
 macrophage, MP257, 62  
 macrophage-conditioned media, MP258  
 male fertility, MP262  
 management, MP323  
 mannanoligosaccharide, MP306, MP334, 70, 228  
 manure nitrogen, 67  
 Marek's disease, 57, 222  
 Marek's disease virus, 61  
 marker association, 218  
 market, MP331  
 market research, 13  
 Master 4-H Volunteer, 39  
 maternal effect, 140  
 matrix metalloproteinase, MP273  
 Matterson, 208  
 meat, 246, 247  
 meat and bone meal, 89  
 meat quality, TP385, 18  
 meat safety, 18  
 medicinal plant, MP276  
 melamine, 236  
 melatonin, immunity, 65  
 meta-analysis, 237  
 metabolic disorder, 224  
 metabolic stimulant, 109  
 metabolism, MP277  
 metabolizable energy, TP362, 29, 89, 211  
 methionine, 15, 26  
 methionine deficiency, 212  
 methionine hydroxy analog, TP347, 105  
 microarray, 49, 174, 222  
 microbial ecology, 110  
 microflora, 232  
 micronization, MP294  
 microwave, TP399  
 mineral, TP371, TP373, TP376  
 mineral litter composition, MP324  
 Mintrex, 163  
 Mintrex Zn, 161  
 molt, TP368

molting, TP411, 84, 112  
 monitoring, 11  
 monoclonal antibody, MP254  
 month, year, and farm interaction, MP315  
 morphology, 55  
 morphometry, MP305  
 mortality, 142  
 molting, 118  
 mucin, 122, 148  
 mucosal immune system, MP261  
 muscle growth, TP338  
 mushroom, MP317  
*Mycoplasma*, 179  
 mycotoxin, MP307

## N

nanosilver, TP405  
 native Thai chicken, MP270  
 natural, 12  
 natural source vitamin E, 56  
 NatsuStat, 173  
 near-infrared spectroscopy, TP346  
 necropsy, TP408  
 necrotic enteritis, MP334, 173, 174, 175  
 net energy, 29  
 network, 1  
 Newcastle disease virus, MP327, 194  
 nicarbazin, MP271, MP274  
 nitrogen, 73  
 nitrogen balance, TP369  
 nitrogen mass balance, 68  
 nonfeed withdrawal, 112  
 nonphytate phosphorus, MP312  
 nonstarch polysaccharide, MP286, 89  
 nonstarch polysaccharide-enzyme, TP351, TP352, 209  
 NOR, MHC-Y, MHC-B, 219  
 nutrient digestibility, 98  
 nutrient efficiency, TP359  
 nutrient profile, 50  
 nutrient requirement, TP359  
 nutritional quality, MP315  
 nutritional value, MP311  
 nutritive value, MP290

## O

omega-3, TP398  
 online teaching, 243  
 online training, 245  
 organ morphology, TP336  
 organic, 12, 13, 15, 26, 106  
 organic acid, TP393, 229  
 organic mineral, 155  
 organic poultry, 18  
 organic trace mineral, 159  
 organic zinc, MP278  
 osteoporosis, TP415  
 outreach, 241  
 oxidative stress, TP366, 163

## P

PAACO, 151  
 pandemic, 7, 9  
*Passiflora alata*, TP413  
 paternal effect, 213  
 pathogen, 16  
 pathology, TP405, 177  
 pattern recognition receptor, MP256  
 pea protein concentrate, MP295

peach palm oil, MP291  
 pellet, MP292, TP360  
 pellet quality, TP353, 166, 167, 168  
 penetrance, 215  
 PepT1, 19  
 peracetic acid, TP392  
 performance, MP276, MP283, MP305, MP312, MP332, TP354, TP363,  
 TP370, 70, 79, 107, 203, 234, 238  
 phase feeding, TP378  
 phosphorus, MP331, TP374, 201  
 phosphorus bioavailability, canola meal, 198  
 phosphorus deficiency, MP304  
 photoperiod, MP332, 110, 188, 191  
 photostimulation, 116  
 physiology, 112  
 phytase, MP324, TP375, TP377, 101, 141, 198, 200, 201, 209  
 phytase enzyme, TP408  
 phytate, 200  
 phytogetic additive, TP366, 104  
 pigment, TP402  
 pipping muscle, 50  
 pituitary, MP265, 114  
 plant extract, TP354, 231, 232, 233, 234, 235, 237  
 plasma lipoprotein, MP291  
 point of inflection, 221  
 pollutant, 177  
 polyunsaturated fatty acid, 156  
 n-3 polyunsaturated fatty acid, TP400  
 poultry, MP291, TP384, TP403, 4, 15, 130, 145, 246, 248  
 poultry processing, TP386, 240, 242  
 poultry production, 17  
 poultry scientist, 35  
 poultry waste, TP403  
 prebiotic, MP249, MP303  
 precision feeding, 96  
 prednisolone, 100  
 prestarter diet, TP360  
 probiotic, MP249, MP255, MP281, MP299, MP300, MP326, TP345, 16, 176  
 processing, 41, 106, 131  
 processing-line speed, TP386  
 production cost, 203  
 product parameter, MP280  
 professional society, 35  
 program delivery, 37  
 program development, 37  
 PronTech, 125  
 prostaglandin receptor, 115  
 protein, TP382, 24  
 protein metabolism, 22  
 protein nutrition, TP356  
 protein quality, MP309  
 proteinate, TP361  
 proteomics, 61, 214  
 PSE, 246, 247, 248  
 pullet, TP361, TP406  
 pullet growth curve, 139  
 pullet lighting program, TP415  
 pullet maturity, MP284  
 pulse electric field, 130

## Q

quality control, 92

## R

range production, 14  
 ready-to-eat, TP399  
 ready-to-eat product, 124  
 real-time RT-PCR, 3, 57  
 receptor, MP259

receptor oligomerization, 114  
 recognition award, 34  
 recruitment, TP404  
 reishi, TP348  
 removal of male, MP263  
 rep-PCR, TP391  
 reproduction, 43, 116  
 residual yolk, 140  
 RFLP, TP419  
 risk, 7  
 Ronozyme, Roxazyme, TP350  
 runway, TP414

## S

*Saccharomyces cerevisiae*, MP306  
 safety, TP384  
 salicylic acid, 121  
*Salmonella*, MP251, MP255, TP391, 6, 59, 69, 122, 130, 133, 230  
*Salmonella* Enteritidis, TP397, 170  
*Salmonella* Typhimurium, 125  
*Salmonella* vaccine, 171  
*Salmonella* vector, 171  
 sand, MP316  
 sanitation, 183  
 sanitizer, 129, 135  
 scanning electron microscopy, 80  
 selection, 21  
 selenium, MP313, TP381, 164  
 SelPlex, 157  
 sensory, 120  
 septal-hypothalamic region, 53  
 serotonin, 47  
 serum chemistry, 100  
 serum protein, liver enzyme, 95  
 sex, TP419  
 sexual maturation, 116  
 shea nut meal, TP343  
 shear force, TP398  
 shelf life, TP392  
 shell egg, 135  
 shell quality, 155  
 shell surface, 129  
 shiitake, TP348  
 shrink, 190  
 Sibbald, 202, 207  
 silver ion, 127  
 simulated digestion, TP395  
 Single Comb White Leghorn, TP383  
 single nucleotide polymorphism, 216  
 slow-growing, TP385  
 smooth muscle cell, 214  
 Smyth chicken, 60  
 sociality, TP414  
 sodium, 108  
 sorghum, 94  
*sous vide*, 132  
 soy-, canola-, and corn-based ingredients, TP372  
 soybean meal, 92, 93, 205  
 soybean product, MP294, MP295  
 sperm motility, MP272  
 sperm viability, 48  
 spermatogenesis, MP266, 51  
 spleen, 102  
 sponge, TP387  
 spot, TP402  
 squid, MP310  
 standardized ileal digestibility, MP302  
 stocking density, MP319  
 storage, MP311  
 stress, 54, 114, 147, 185

stress response, 113  
 student, 36  
 student poultry interest, 153  
 sulfuric acid, 74  
 suppression, 73  
 surveillance, 8  
 survival, 78

## T

T-2 toxin, TP407, 111  
 T-cell subset, 57  
 teaching, 152, 241  
 technology, 241  
 testes, MP269  
 testicular tissue, MP266  
 texture profile, TP398  
 thermal fog, MP327  
 thermoregulation, 72  
 thermotolerance, 46  
 threonine, MP288, 20, 23, 25, 31  
 thymosin  $\beta$ 4, MP257  
 thyroid, MP277  
 thyroxin, 118  
 TME<sub>n</sub>, TP367  
 Toll-like receptor, MP257  
 total antioxidant capacity, MP269  
 trace mineral, TP361, 155  
 traceability, MP323  
 transport, 105  
 transport stress, 42  
 TRAP, MP250  
 trypsin inhibitor, 93  
 turkey, MP285, MP314, MP318, MP319, MP330, TP372, TP385, TP394, 21,  
 23, 42, 118, 178, 179, 180, 181, 186, 204, 247  
 turkey embryo, 97  
 turkey tom, 28

## U

ultrastructure, 80  
 ultra-trace mineral, 225  
 uniformity, TP378  
 USDA challenge grant, 242

## V

vaccine, 180  
 vaccine response, 177  
 vaccine vector, 59  
 valine, MP298, 32  
 vasoactive intestinal peptide, MP270  
 vasotocin, 53  
 vectored vaccine, 6  
 vegetative buffer, 194  
 ventilation, 192  
*Vibrio fischeri*, TP396  
 video, 152  
 virginiamycin, MP253  
 virus, 78  
 visfatin, 51  
 vitamin, TP371, TP373, 160  
 vitamin A, MP260, 158  
 vitamin E, MP279, MP287, TP339, 156  
 vitamin U, 172  
 vitiligo, 60  
 vocalization, 185, 187

## W

waste management, TP403  
 water intake of broiler, MP292

weight, TP417  
weight gain, TP365  
weight gain, FCR, 198  
welfare, MP319, 184, 188, 190  
well-being, 187  
wheat, MP311, TP358  
wheat DDGS, 81, 82  
whey, MP297, 19  
White egg, TP370  
wild aquatic bird, 3

**Y**

yeast, 228  
yeast  $\beta$ -glucan, MP334

yeast cell wall component, TP379  
yeast whole cell, TP379  
yolk cholesterol, MP268  
yolk replacement, MP267  
yolk sac, 52

**Z**

zinc, TP375, 159, 162  
zona pellucida, MP271  
zoonosis, 9  
ZP3, MP274  
zymography, MP273