

SUBJECT INDEX

2009 International Poultry Scientific Forum

Numbers following names are abstract numbers for oral presentations, abstract numbers preceded by M are Monday oral presentations, numbers preceded by T are Tuesday oral presentations, numbers preceded by P are poster presentations.

- A**
accelerometer, M84
 α -1 acid glycoprotein, M64
additives, P202
adsorbent, T94
adsorption, M26
aerobic bacteria, M13
aflatoxin, M19, T94
aglycone production, P160
airflow, T93
AL2, T134
alkali extraction, M51
alternative genotype, M2
ALV-A, T139
AME, P213
AME-uplift model, T113
amino acid, M65, M66, T101, T102, T114, P181, P182, P183
amino acid availability, P194
amino acid digestibility, T112
amino acid requirements, M39
amino acids, P198
ammonia, M62
amylase, M33, T103
anaerobe, M62
analysis, M55
ANOVA, P172
antibody levels, P157
anticoccidial program, P146
antigenic variants, T138
antimicrobial, M52
antinutritional factor, T110
antioxidant vitamins, M46
apicomplexa, M45
application trial, T126
arabinoxylan, T113
arbor acre, M43
arginine, M4, M46
ascites, M18
assay, M55
ATP2B1, M77
attenuated vaccine, T142
available phosphorus, M32
avian bronchitis, P157
avian influenza, T131, T132, P147
azomite, P193
- B**
B. licheniformis, T118
Bacillus, P176
Bacillus subtilis C-3102, P175
bacteria, M56, T95, T98, P216
bacterial endoxylanase, T113
biguanide, M13
bioassay, M75
biofilms, M52
biomass, P221
bioplex trace minerals, M23
biosecurity, T143, P148
biotransformation, T117
birds, M73
bismuth citrate, M9
black skin broilers, P214
blood, P155
body mass index, P162
body temperature, T125
body weight, M7, T123, P212
bone, T107
bone ash, M38
bone biomechanics, T119
bone strength, M32, T119, P162
botulinum toxin, M75
breast, P220
breast meat, M69
breeder age, M14, T104
breeds, M71
broiler, M1, M6, M8, M10, M16, M17, M18, M20, M27, M30, M31, M32, M33, M34, M35, M36, M37, M42, M44, M49, M50, M53, M54, M65, M68, M80, M86, T92, T100, T103, T105, T106, T111, T112, T113, T116, T117, P146, P149, P159, P167, P171, P177, P178, P184, P185, P196, P197, P202, P208, P212, P218
broiler breeder, M7, M24, M57, M58, M59, M61, M73, T122, P144, P148, P211, T90, T123
broiler chick, T94, P205
broiler chicken, M23, M69, M70, P152, P175, P209, P219
broiler feed, T104
broiler growth, M60
broiler hatching eggs, T124
broiler houses, P173, P174
broiler meat, P223, P227
broiler performance, M60, M67, P168
broiler quail, M29
broiler skin, M56
broilers meat, P222
brooding stage, M1
brown layer strain, P179
Bu-1, T141
builders' sand, P193
- C**
caged hens, M12
cage-free hens, M12
Cairina moschata, P165
calbindin, M77
calcium, P185, P186
calcium phosphorus ratio, M29
Calibrin A, T94
calorie, M68
Calsporin, P175
Campylobacter, T100, T120
carbohydrases, T111
carbon dioxide, M85

carbon source, P160
 carbonate of sodium and potassium, P207
 carcass, M54, P208
 carcass composition, P184
 carcass evaluation, M44
 carcass quality, T104
 carcass yield, M2, P168
 L-carnitine, M48
 CD4, T141
 cecectomized, P194
 cELISA, T132
 cell-mediated immunity, M79
 cellular protein, T133
 challenge, M80, P149
 characterization, P196
 chick, T115, P170, P192, P210
 chick quality, M72
 chicken, M5, M9, M64, T92, T99, T120, T128, T130, T139, P215, P226
 chicken breast, P224, P225
 chicken cecal bacterium, P160
 chilling method, P215
 chlorination, T96
 chlorine, T96
 cholesterol, P222, P223
 citrex Liquid, T121
 citrex Powder, T121
 citric acid, M9
 clinoptilolite, M26
Clostridium, M5
Clostridium perfringens, P169, T118, T121
Clostridium septicum, M83
 Cobb 500 broiler, M67
 coccidia, M31, T105
 coccidial disinfectant, P171
 coccidiosis, M6, M20, M45, M80, M81, M82, P149, P150
 coccidiosis vaccination, P177
 cocoa bean testa, M44, M78
 co-mingling, M7
 commercial hatchery, T126
 commercial layer, P155
 composting, M62, T131
 concrete, M52
 conductance, M11
 consumers, T127, T128
 contaminants, T95
 contamination, M3, M55, P152, P165, P216
 cook yield, P215
 corn, P182
 corn-based diet, P197
 cornflakes wastes, P178
 coronaviridae, T138
 coronavirus, T136, T137
 creatine, M42
 crude protein, M10, M69, T101, T122, P181, P198, P206, P207
 cystine, M37

D

dark meat, M51
 DDGS, M41, T111, P180
 degradation, M25
 depopulation, M84, M85, P151
 disinfection, P165
 desorption, M26
 DFM, T118
 die thickness, T89
 diet, M27
 diet formulation, P187

dietary balanced protein, P184
 dietary energy, P184
 digestibility, M28, M65, T102, T108, T114, P201, P213
 digestible lysine, M39
 digestible lysine requirement, M67
 digestible threonine, M39
 dimethyl glycine, M18, M35
 diploma, T88
 disinfecion, P153
 distillers dried grains with solubles, M53
 dose, P197
 dressing percentage, M43
 dried distillers grains with solubles, P180
 drinker space, T90
 drinkers, T90
 drug carryover, M3
 ducks, P165
 Duncan, P172
 duration, M22

E

E. coli, M54, M86, P217, P218
 effect, T87
 efficiency, T89
 egg and body weight, T91
 egg injection, T126
 egg mass, P204
 egg production, M59, M61, M66
 egg quality, P195
 egg sanitization, M57
 egg shell, T87
 egg shell color, T127
 egg shell contamination, P153
 egg storage, M14, M15
 egg washing, M12
 egg white, M55
 egg yolk, T87
 egg yolk color, T127
 eggs, P165
 eggshell and membrane bacteria, M13
 eggshell bacteria, M12
 eggshell surface bacteria, M13
 eggshell temperature, T125
 egg-type chickens, M78
Eimeria, M45, M80, M82, P150, P158, P171
 electrocardiogram (ECG), M84, M85
 electroencephalogram (EEG), M84, M85
 electrolyte balance, P207
 electron beam, T99
 electron microscopy, M40, P161
 embryo, M49
 embryo diagnosis, P164
 embryo viability, M75
 embryonic development, M11
 embryonic loss, T124
 empirical model, M69
 energy, M19, P186
 energy audit, P174
 energy available, P209
 energy efficiency, P173, P174
 enteric disease of poultry, T129
 enzyme, M28, T101, T102, T107, T108, T114, P186, P192, P201
 enzyme supplement, T104
 enzyme treatment, M78
 enzymes, M74, T103, T112, P197
 euthanasia, P151
 evolution, T136

F

fasting, P168
 fatty acid, P170, P222
 feed additive, M18, M35
 feed conversion, P167, P212
 feed enzyme, P190
 feed enzymes, M33
 feed ingredient, P183
 feed manufacturing, M3, T89
 feed mill shrink, M36
 feed program, M59
 feed withdrawal, P175
 feeder space, T90
 femoral head separation, P162
 fermentation, M44, M78
 fertile hatchability, M59
 fertility, M76, T122, T123, P164, P211
 fillet dimensions, M50
 finishing, M21
 fish meal, M27
 fish oil, P208
 flavonoid transformation, P160
 flock uniformity, M7
 floor eggs, T90
 flushing, M3
 foam, M84, M85
 food restriction, P228
 food safety, T120
 French guinea fowl, P203
 F-strain *Mycoplasma gallisepticum*, P155
 fumonisin B1, T116
 fumonisins, T116
 functional nutrient, M16
 functional protein, M17
 fungi, T95, P166
 further processing, M51

G

β -galactomannan, M64
 gallinacin, M47
 gangrenous dermatitis, M5, M83
 GE, M70
 gene expression, M40, P186
 genetic differences, T143
 genetics, T119
 genomic sequencing, T137
 genotype V, P145
 genotyping, P154
 glucan, M8
 glutamate, P199, P200
 Glutenol, P194
 glycine, M37, M42, P210
 glycogen, M15
 Gompertz-Laird model, P203
 gp85, T139
 griller broiler, P228
 growth, M21, M22, M30, M42, P167
 growth parameters, P203
 growth performance, M2, P158
 growth promoters, P202
 gut development, M40
 gut microflora, P161

H

H5, T132
 hematology, M78
 hatchability, M48, M57, M71, M72, M76, T122, P164, P211
 hatched eggs, P164

hatchery, P152
 hatchery feeding, P210
 hatching efficiency, T124
 hatching egg sanitization, M13
 HEAS, T124
 heat shock protein, M47
 hemagglutination, T131
 hen, M22, P163
 heterophil, M81
 high fat diet, P162
 housing type, M12
 HPAI, P147
 hydrated aluminosilicate, P193
 hydrogen peroxide, M57, P153
 Hy-Line, P180
 hypoxia, M46

I

IBDV, T133, P154
 ideal protein, P181, P198, P199, P200
 intermittent lighting, T106
 ileal digestibility, P183
 ILTV, T135
 immune enhancement, M79
 immune function, P177
 immune response, M4, T141, P223
 in ovo, M48
 in ovo nutrition, P157
 in ovo vaccination, P152
 in vitro, M74, M82, P150
 in vivo, M74
 incubation, M11, M14, M15, M47, T125
 infectious bronchitis virus, T138
 infectious bursal disease, T134
 infectious laryngotracheitis virus, T135
 infectious stunting syndrome, T129
 infertile eggs, M71
 in-house, M62
 initial phase, P199, P200
 innate immunity, M79
 interaction, P172
 intestinal morphology, P158
 intestine, M8, M19, P196
 iron, M23
 irradiation, P224

J

Japanese quail, P204, P206, P207

K

kinetics, M25

L

lactose, M9
 latin square, T124
 layer, M71, T93, P151, P156, P213
 laying hen, M19, M63, M66, P166, P188, P195
 leg problems, M14, T119
 legume, P170
 lesion, M80, P144
 leukocyte, T115
 light intensity, T92
 lighting, M58, T92
 lineages, P145
 linear programming, P187

lines, P163
 lipid oxidation, P222
 lithocholic acid, M77
 litter, T98, T100, T131, P167, P169
 litter temperature, M10
 liver, M43, T116, P156
 liver inflammation, P162
 loss by cooking, P228
 loss of exudate, P228
 LPAI, P147
 lymphocyte proliferation, M4
 lysine, M67
 lysine requirement, P179

M

management, P168
 management practices, P148
 manganese, M24, P195, P211
 β -mannanase, M64
 mannanoligosaccharide, P202, P209
 mannans, M8
 manpower, T88
 manure nutrients, M63
 Marshal MY, M43
 mating behavior, M58
 meat, T128, P220
 meat color, P227
 meat quality, P214, P219
 meat yield, M67
 media, P169
 medicated feed, M3
 medium, P150
 metabolic profile, M49
 metabolizable energy, M68, M69
 metam-sodium, T98
 methionine, M37
 methionine source, M38
 Mexico, P145
 microbiology, P224, P225, P226
 microminerals, M29
 modified atmosphere, P225
 moisture, M48
 molting, T91
 monensine, P146
 monoclonal antibody, T132
 monocomponent, P191
 mortality, M59
 mortality rate, M1
 mucosal immunity, M81
 mucosal pathogens, M79
 mutation rate, T137
Mycoplasma gallisepticum, T141, T142
 mycoplasmosis, T142
 mycotoxin, M26, T116
 myofibrillar proteins, M51
 myxosarcomas, T139

N

natural, M20
 NE, M70
 neck skin, P217
 necrotic enteritis, M9, T118, T121
 net energy, T109
 Newcastle disease virus, P145
 nicarbazine, P146
 Nigeria, T87, T127
 nitric oxide, T115
 nitrogen, M63, P183

nitrogen digestibility, P190
 nitrotyrosine, M46
 non-feed withdrawal molting, P188
 normal distribution, P182
 nucleotides, M34, P205
 NuPro, M16, M17
 Nutrasc Xyla, T113
 nutrient availability, T104
 nutrient retention, P178
 nutrient utilization, T111
 nutrients, P213
 nutrition, M18, M35, P181, P200

O

1- α -OH cholecalciferol, M38
 oocyst, P144
 optimization, P150
 oregano essential oil, M20, P158
 organ weights, M43
 organic minerals, P189
 ORP, T96
 oviduct, M73, P156
 oxidative burst, M4
 oxycarotenoids, P221

P

p68, T133
 parental dietary intake, M60
 parthenogenesis, M76
 passive immunity, M79
 pathogenicity, T134, T138
 PCR, P226
 PDI, M41
 pecan fiber, P188
 pecan product, T91
 pellet quality, T89
 pelleting, M41, T89, P193
 pellets, M36
 pepsin, T110
 performance, M1, M6, M20, M28, M34, T101, T102, T107, T108, T114,
 P171, P178, P197, P198, P204, P206, P223
 perinatal turkeys, P161
 pH, M74, P227
 pH shifting, M51
 phase-feeding, M50
 phosphorus, P185, P186, P192, P212
 phosphorus retention, T107
 photoperiod, T92
 phytase, M29, M31, M32, M38, T105, T106, T107, T108, T109, T110, T111,
 T112, P185, P196, P213
 phytate, T110, P196
 phytate phosphorus, M38
 pigmenter, M25
 pipping muscle, M48, M49
 plant extract, T115
 plants, M82
 plasma, M49
 plasma calcium, M77
 polymerase, T138
 polyunsaturated fatty acid, P223
 post pellet fat application, M36
 potassium carbonate, P206, P207
 poultry, M16, M17, T95, T109
 poultry carcass, P217
 poultry fat, M36
 poultry nutrition, P204
 poult, P158

prebiotics, P202
 preference, T127, T128
 pre-slaughter, P168
 prevalence, P148
 pre-warming profile, M72
 probiotic, M5, M6, M66, M81, T120, P149, P176, P177
 processing, M86
 progeny, M24
 protease, M28, M31, M33, T101, T102, T103, T105, T114, P191
 protein, M7, M61, P144, P170, P182, P191
 protein hydrolysis, T110
 proteinate, P189
 PSE meat, P227
 pseudomonas, P152
 psychrotrophic plate count, M54
 pullet, P189
 pullets, P180
 pulmonary hypertension syndrome, M46

Q

quail, M76
 quail embryo, M75
 quality, P226
 quantitative PCR, M83

R

ractopamine-HCl, M21, M22
 RAPD PCR, T143
 real time PCR, T135
 rearing environment, P212
 recombinant protein, T132
 recombination, T137
 rectal, P163
 red blood cells, M30
 redness, P221
 reduction, P216
 regression, P172
 reground, M41
 rejected eggs, M71
 reovirus, P157
 replacement, M27
 replication, T133
 rep-PCR, P166
 reproduction, M73
 requirement, P181, P198, P199, P200
 retention, M29
 rigor mortis, P151
 rinsing, P218
 rooster, P194
 RSS, T129, T130
Rubrivivax gelatinosus, P220, P221
 runtting and stunting syndrome, T129

S

SAFEWASTES, M82
 sales, T87
Salmonella, M4, M45, M52, M86, T99, T115, T143, P148, P153, P167, P175, P176, P217, P218, P224, P225, P226
Salmonella contamination, P153
Salmonella Enteritidis, T143
 sanitation, T96
 SAS, P172
 scald water, M86
 sealer, M52
 seeds, P170
 selenium, P159

selenoprotein P, P159
 sell-by date, M54
 sensory analysis, P219
 sensory testing, M53
 sequencing, T139
 shelf life, P224, P225
 shell color, P179
 shrimp waste meal, M27
 simulation, P216
 skin, P218, P220
 skin pigmentation, P146, P171
 slaughtering, M1
 small intestine mucosa, P161
 small intestine, P156
 sodium and potassium carbonate, P206
 sodium chloride, P204
 soybean meal, M64, P182
 spent birds, P219
 sperm production, M58
 sperm-storage tubule, M73
 stability, M25, M74
 stochastic programming, P187
 storage time, M72
 strain, M50
 stress, M34, P163
 sunflower, P201
 supplementation, P199, P201
 susceptibility, P147

T

T-2 toxin, T117
 technical performance, M35
 temperature, P163
 tenderloin, P215
 tenderness, M50, P219
 testes, M58
 texture, P215
 thigh, P220
 throughput, M41, P193
 TME, P194
 TME_n, M70
 tom, M21
 tomato by-products, P190
 toxin types A B E and F, M75
 trace mineral interactions, M23
 trace minerals, P189
 training, T88
 transmission, T142
 TRAP, M45
 ts-11-strain *Mycoplasma gallisepticum*, P155, P156
 turkey, M21, M22, M39, M40, T119

U

ultraviolet light, M57
 undecorticated, P201
 uniformity, M2
 university employees, T128
 uric acid, P190
 utilization, P191

V

vaccination, M6, T99, T136, P144, P149, P155
 vaccine, M81, T130
 variant strains, P154
 Venezuela, P154
 ventilation, T93

villi morphology, P161
viral enteric disease, T129
Virginiamycin, T121
virulence, P145
virus inactivation, T131
visual basic for applications, P187
vitamin D, M77
vitamin D3, P185
vitamin E, P222
VP4, T133

W

warm-up, M15
water, T95, T96
water hardness, M56
water holding capacity, P228
water line, T135
water quality, P216
water retention capacity, P227
White Pekin ducks, P183
whole carcass rinse, P217
wild turkeys, P164

windrow, M62
wood duck, P147

X

xanthophylls, M25
xylanase, M31, M33, T103, T105

Y

yeast, M8, P205
yeast culture, P209
yeast derived protein, M16, M17
yolk, M55
yolk color, P221

Z

zeolite, M26
zinc, M23, P195, P210
zoonoses, T137